5V0-41.20^{Q&As}

VMware SD-WAN Troubleshoot

Pass VMware 5V0-41.20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/5v0-41-20.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

365 Days Free Update

800,000+ Satisfied Customers

QUESTION 1

Scenario 2:

After completing the branch activation for all required branches, the network administrator attempts to test connectivity between the various branches and between hubs and branches. The administrator notices a lack of connectivity despite being certain that configurations have been complete. The administrator also observed that several users are reporting intermittent connectivity to some of the some applications they are accessing. Other users are reporting no access to these applications. Other users at some of the branches claim they cannot get to certain public resources. The administrator wants to ensure that all sites can talk to each other and all resources are accessible.

Exhibit.

A technician has added Edges to an East Coast Profile. These Edges are not able to communicate via dynamic tunnels to Edges in the West_Coast profile. The technician has noticed that some Edges are able to establish dynamic tunnels.

What could be preventing Edges from being able to establish dynamic tunnels?

A. The profiles are not configured to allow dynamic branch to branch VPNs.

B. The profiles are configured to only allow dynamic branch to branch for Edges within the same profile.

C. None of the existing profiles have Cloud VPN enabled thus preventing dynamic tunnels.

D. Neither profile has been configured to utilize cloud gateways.

Correct Answer: B

QUESTION 2

Scenario 1:

A network administrator is tasked with enabling SD-WAN at three branch locations. A topology has been provided for reference. For each site, the administrator is having issues bringing edges online, as another administrator has gone ahead and created a configuration ahead of time. The organization has several branch sites. One is an Internet- only site and two are Hybrid locations with both internet and MPLS. The last location is MPLS only. There are hub data center locations in this environment as well. Please refer to the topology.

Exhibit.

The network administrator determines the issue preventing the Dallas Branch from coming online.

Refer to the Exhibit(s).

What must the administrator do for the Edge to communicate with the Orchestrator and other branches?

A. Reverse the WAN Overlay configurations

B. Update the Orchestrator to the latest version as it enables "Auto WAN Swapping"

C. Delete the User Defined WAN Overlays as the Orchestrator will discover these automatically on MPLS and Internet
D. Create a User-defined WAN Overlay to bond both interfaces

Correct Answer: A

QUESTION 3

Scenario 2:

After completing the branch activation activities for all required branches, the network administrator attempts to test connectivity between the various branches and between the hubs and branches. The administrator notices a lack of connectivity despite being certain that configurations have been complete. The administrator also observed that several users are reporting intermittent connectivity to some of the applications they are accessing. Other users are reporting no access to these applications. Other users at some of the branches claim they cannot get to certain public resources. The administrator wants to ensure that all sites can talk to each other and all resources are accessible.

Exhibit.

A network administrator is investigating connectivity issues between Chicago and San Jose. The administrator browses to the Overlay Flow Control (OFC) window and notices that the screen is blank with no routes shown in the OFC.

What is a possible reason for this?

A. Cloud VPN for the Edges / Profiles is not enabled.

B. There is an invalid MTU configuration at Chicago.

C. OSPF or BGP is not enabled.

D. The routing table on the Edges has not been initialized.

Correct Answer: A

QUESTION 4

Scenario 3:

After resolving numerous connectivity Issues throughout the various branch sites, connectivity between applications and users is finally present. The network administrator is informed that during certain tests, applications are not performing as they are expected to. Users report that call quality has not fully improved and that some of their calls either drop or have poor voice quality where the conversation is breaking up. Other users are noticing that file transfers are slower than expect. A group of users from a few sites have reported slowness in accessing internal and external applications.

Exhibit.

The network administrator has been made aware that Chicago is receiving traffic from non- SD-WAN sites, bottlenecking Chicago\'s interfaces. The network administrator\'s VMware SE has mentioned using the uplink feature to help resolve this.

What are two ways the uplink feature should be used in this scenario? (Choose two.)

A. Set the uplink community to forward traffic to a group of neighbors.

B. Direct all traffic to that neighbor designated as an uplink,

C. Stop mutual redistribution of routes from underlay and overlay.

D. Prevent the site in question from becoming a transit site.

Correct Answer: BD

QUESTION 5

Scenario 3:

After resolving numerous connectivity issues throughout the various branch sites, connectivity between applications and users is finally present. The network administrator is informed that during certain tests, applications are not performing as they are expected to. Users report that call quality has not fully improved and that some of their calls either drop or have poor voice quality where the conversation is breaking up. Other users are noticing that file transfers are slower than expect. A group of users from a few sites have reported slowness in accessing internal and external applications.

Exhibit.

A network engineer is configuring an Internet Backhaul Policy for the Chicago Branch to utilize NY\\'s hub as a much better source for Internet for certain SaaS applications. For an unknown reason, the network engineer is not able to select the hubs in the Internet Backhaul Policy.

What could be the reason?

A. The Dynamic Branch to Branch has not been enabled.

B. The hub is not configured with the proper IP address.

C. Dynamic Branch to Branch using gateways has not been enabled.

D. The Edge\\'s profile does not include Backhaul hubs as an option.

Correct Answer: C

Latest 5V0-41.20 Dumps   5V0-41.20 VCE Dumps   5V0-41.20 Practice Test