



5V0-41.20^{Q&As}

VMware SD-WAN Troubleshoot

Pass VMware 5V0-41.20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/5v0-41-20.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers






QUESTION 1

Scenario 3:

After resolving numerous connectivity Issues throughout the various branch sites, connectivity between applications and users is finally present. The network administrator is informed that during certain tests, applications are not performing as they are expected to. Users report that call quality has not fully improved and that some of their calls either drop or have poor voice quality where the conversation is breaking up. Other users are noticing that file transfers are slower than expect. A group of users from a few sites have reported slowness in accessing internal and external applications.

Exhibit.



Users at a remote office are complaining about poor performance with certain applications. The network administrator has already verified the configuration is correct.

Which two parameters should the administrator review to troubleshoot this issue? (Choose two.)

- A. Check the underlay network (bandwidth, latency, jitter, packet loss)
- B. Change the bandwidth measurement under WAN Overlay Advanced Settings
- C. Check the flows to verify which Business Policy the traffic of interest is matching
- D. Look under Monitor, check Business priority tab

Correct Answer: AD

QUESTION 2


**Scenario 1:**

The Dallas Branch location is having issues getting activated. The local network administrator is aware that the Edge device received a DHCP address and was able to connect to the internet. The Orchestrator is reporting the Edge as Down. No other changes were made post activation.

A network administrator is tasked with enabling SD-WAN at three branch locations. A topology has been provided for reference. For each site, the administrator is having issues bringing edges

online, as another administrator has gone ahead and created a configuration ahead of time. The organization has several branch sites. One is an Internet-only site and two are Hybrid locations with both internet and MPLS. The last location is MPLS only. There are hub data center locations in this environment as well. Please refer to the topology.

Refer to the Exhibit(s).



Interface Settings							
Actions		Interface	Mode	VLANs	Addressing	WAN Overlay	Segment
Edit	X	LAN1	Access	1 - Corporate			Global Segment
Edit	X	LAN2	Access	1 - Corporate			Global Segment
Edit	X	LAN3	Access	1 - Corporate			Global Segment
Edit	X	LAN4	Access	1 - Corporate			Global Segment
Edit	☑	LAN5	Trunk	1 - Corporate 10 - UserSeg 20 - VoiceSeg 30 - GuestSeg			Global Segment Global Segment Global Segment Global Segment
Edit	X	LAN6	Access	1 - Corporate			Global Segment
Edit	X	LAN7	Access	1 - Corporate			Global Segment
Edit	X	LAN8	Access	1 - Corporate			Global Segment
Edit	☑	GE1	Access	1 - Corporate	Static IP: 10.0.0.200 Gateway: 192.0.5.1	↓ User Defined	all segments
Edit	☑	GE2	Access	1 - Corporate	DHCP	↓ User Defined	all segments
Edit	X	SFP1	Access	1 - Corporate	DHCP	≡ Auto Detect	all segments
Edit	X	SFP2	Access	1 - Corporate	DHCP	≡ Auto Detect	all segments
Edit	☑	WLAN1	WiFi	1 - Corporate			Global Segment
Edit	X	WLAN2	WiFi	Interface disabled			

WAN Settings						
Type	Name	Interfaces	Link Type	Public IP	Alerts	
↓ User Defined	INET	GE1	Public Wired		X	
↓ User Defined	MPLS	GE2	Private Wired		X	

What is the cause of this issue?

- A. The activation link did not specify the updated image location requiring the Edge to be re-activated.
- B. The activation link did not contain any post-activation configuration to allow the Orchestrator to communicate with the Edge.
- C. The Edge will be offline for about 4 hours until it has completed the factory image installation.
- D. The activation link contained incorrect configurations for WAN overlays and WAN interfaces.




Correct Answer: A

QUESTION 3

Scenario 1:

A network administrator is tasked with enabling SD-WAN at three branch locations. A topology has been provided for reference. For each site, the administrator is having issues bringing edges online, as another administrator has gone ahead and created a configuration ahead of time. The organization has several branch sites. One is an Internet-only site and two are Hybrid locations with both internet and MPLS. The last location is MPLS only. There are hub data center locations in this environment as well. Please refer to the topology.

Exhibit.



Interface Settings							
Actions	Interface	Mode	VLANs	Addressing	WAN Overlay	Segment	Multicast
Edit	<input checked="" type="checkbox"/> LAN1	Access	1 - Corporate			Global Segment	
Edit	<input checked="" type="checkbox"/> LAN2	Access	1 - Corporate			Global Segment	
Edit	<input checked="" type="checkbox"/> LAN3	Access	1 - Corporate			Global Segment	
Edit	<input checked="" type="checkbox"/> LAN4	Access	1 - Corporate			Global Segment	
Edit	<input checked="" type="checkbox"/> LAN5	Trunk	1 - Corporate 10 - UserSeg 20 - VoiceSeg 30 - GuestSeg			Global Segment	
Edit	<input checked="" type="checkbox"/> LAN6	Access	1 - Corporate			Global Segment	
Edit	<input checked="" type="checkbox"/> LAN7	Access	1 - Corporate			Global Segment	
Edit	<input checked="" type="checkbox"/> LAN8	Access	1 - Corporate			Global Segment	
Edit	<input checked="" type="checkbox"/> GE1			Static IP: 10.0.0.1/24 Gateway: 192.0.2.1	User Defined	all segments	<input checked="" type="checkbox"/>
Edit	<input checked="" type="checkbox"/> GE2			DHCP	User Defined	all segments	<input checked="" type="checkbox"/>
Edit	<input checked="" type="checkbox"/> SFP1			DHCP	Auto Detect	all segments	<input checked="" type="checkbox"/>
Edit	<input checked="" type="checkbox"/> SFP2			DHCP	Auto Detect	all segments	<input checked="" type="checkbox"/>
Edit	<input checked="" type="checkbox"/> WLAN1	WiFi	1 - Corporate			Global Segment	
Edit	<input checked="" type="checkbox"/> WLAN2	Interface disabled					

WAN Settings				
Type	Name	Interfaces	Link Type	Alerts
User Defined	INET	GE1	Public Wired	<input checked="" type="checkbox"/>
User Defined	MPLS	GE2	Private Wired	<input checked="" type="checkbox"/>

The network administrator determines the issue preventing the Dallas Branch from coming online.

Refer to the Exhibit(s).

What must the administrator do for the Edge to communicate with the Orchestrator and other branches?

- A. Reverse the WAN Overlay configurations
- B. Update the Orchestrator to the latest version as it enables "Auto WAN Swapping"
- C. Delete the User Defined WAN Overlays as the Orchestrator will discover these automatically on MPLS and Internet



D. Create a User-defined WAN Overlay to bond both interfaces


Correct Answer: A

QUESTION 4

Scenario 3:

After resolving numerous connectivity issues throughout the various branch sites, connectivity between applications and users is finally present. The network administrator is informed that during certain tests, applications are not performing as they are expected to. Users report that call quality has not fully improved and that some of their calls either drop or have poor voice quality where the conversation is breaking up. Other users are noticing that file transfers are slower than expect. A group of users from a few sites have reported slowness in accessing internal and external applications.

Exhibit.



Users at a remote office are complaining about poor performance with certain applications. The network administrator has already configured Business Policies based on these requirements.

What is the sequence of parameters that the administrator can check to troubleshoot this problem? (Choose two.)

- A. Change the bandwidth measurement under WAN Overlay Advanced Settings.
- B. Check underlay network (bandwidth, latency, jitter, packet loss).
- C. Under Monitor, check Routing tab.
- D. Review Business Policies configuration and match them against the business requirements.

Correct Answer: BD




QUESTION 5

Scenario 2:

After completing the branch activation activities for all required branches, the network administrator attempts to test connectivity between the various branches and between the hubs and branches. The administrator notices a lack of connectivity despite being certain that configurations have been complete. The administrator also observed that several users are reporting intermittent connectivity to some of the applications they are accessing. Other users are reporting no access to these applications. Other users at some of the branches claim they cannot get to certain public resources. The administrator wants to ensure that all sites can talk to each other and all resources are accessible.

Exhibit.



One branch location is not able to communicate with another branch location via dynamic branch-to-branch tunnels. While troubleshooting at the Edge configuration level, the network administrator notices Cloud VPN is not enabled and is grayed out, preventing them from enabling that feature.

- A. Where is the next location to check for and enable the necessary feature?
- B. Within the Configuration section under Profiles. Within the Monitor section under Network Services.
- C. Within the Test and Troubleshooting section under Remote Diagnostics.
- D. Within the Configuration section under Customer VPN enablement.

Correct Answer: D



VCE & PDF

PassApply.com

<https://www.passapply.com/5v0-41-20.html>

2024 Latest passapply 5V0-41.20 PDF and VCE dumps Download

[Latest 5V0-41.20 Dumps](#)

[5V0-41.20 VCE Dumps](#)

[5V0-41.20 Exam Questions](#)