



5V0-42.21^{Q&As}

VMware SD-WAN Design and Deploy Skills

Pass VMware 5V0-42.21 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/5v0-42-21.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A customer has a hybrid VMware SD-WAN deployment and wants to use the SD-WAN Service Reachable feature on the private WAN.

What is the main dependency that must be met for the feature to work?

- A. Internet reachability via the private WAN
- B. Gateway IPs must be routed in the overlay
- C. Default route learned via dynamic routing
- D. Static route for gateway IPs on the edge

Correct Answer: C

QUESTION 2

Company A has recently acquired Company B and needs to establish network connectivity. Company A has only Cisco for firewalls and VPN. Company B is using VMware SD-WAN. Which VMware SD-WAN Cloud VPN solution should an administrator configure to establish connectivity?

- A. Branch to Non VMware SD-WAN Site.
- B. Branch to SD-WAN Hub
- C. Branch to Main Office VPN
- D. Branch to Branch VPN

Correct Answer: A

QUESTION 3

Which three authentication mode options are valid for use on the VMware SD-WAN Edge? (Choose three.)

- A. Certificate Enabled
- B. Certificate Authentication Optional
- C. Certificate Disabled
- D. Certificate Activated
- E. Certificate Accepted
- F. Certificate Required

Correct Answer: ACE



QUESTION 4

Which role(s) must be enable under Gateway configuration page to allow a VMware SD-WAN Gateway to build IPsec tunnels to non-VM SD-WAN?

- A. Control Plane
- B. Control Plane + Data Plane + Partner Gateway
- C. Control Plane + Secure VPN Gateway
- D. Control Plane + Data Plane + Secure VPN Gateway

Correct Answer: B

QUESTION 5

An enterprise has deployed a VMware SD-WAN solution with Edges in many different located to different Partner Gateways.

Which design makes it possible to have dynamic branch to branch VPN tunnels between any two Edges?

- A. Dedicated at least one Gateway as a Controller, and few initial data plane packets will travers the Controller before dynamic tunnel is established between the two branches.
- B. Add Controller role to each Partner Gateway.
- C. Configure each partner Gateway as a Controller.
- D. Dedicate at least one Gateway as a Controller, and no data plan packets will traverse the Controller before dynamic tunnel is established between the two branches.

Correct Answer: D

[5V0-42.21 PDF Dumps](#)

[5V0-42.21 Practice Test](#)

[5V0-42.21 Study Guide](#)