



5V0-42.21^{Q&As}

VMware SD-WAN Design and Deploy Skills

Pass VMware 5V0-42.21 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/5v0-42-21.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which three authentication mode options are valid for use on the VMware SD-WAN Edge? (Choose three.)

- A. Certificate Enabled
- B. Certificate are Optional
- C. Certificate Disabled
- D. Certificate Activated
- E. Certificate Accepted
- F. Certificate Required

Correct Answer: ACE

QUESTION 2

A customer has a 10,000 branch site requirement and must use a hub cluster in their design. Which VMware SD-WAN best practice should be used when designing the cluster?

- A. BGP on WAN side
- B. Static routing
- C. MP BGP south bound
- D. BGP on LAN side

Correct Answer: C

QUESTION 3

A customer has a hybrid VMware SD-WAN deployment and wants to use the SD-WAN Service Reachable feature on the private WAN.

What is the main dependency that must be met for the feature to work?

- A. Internet reachability via the private WAN
- B. Gateway IPs must be routed in the overlay
- C. Default route learned via dynamic routing
- D. Static route for gateway IPs on the edge

Correct Answer: C



QUESTION 4

A customer would like to ensure that the traffic towards the Partner Gateway does not exceed a certain bandwidth.

Which feature should be used?

- A. Modify the SD WAN Traffic Class and Weight Mapping
- B. Enable the SD-WAN Overlay Rate-Limit.
- C. Change the application priority to low.
- D. Enable the rate limit under a new custom Business Policy Rule.

Correct Answer: C

QUESTION 5

A MSP partner needs to setup a Partner Gateway and configure the Handoff Interlace. Which are the valid configuration options for the Tag type?

- A. None, 802 1q, 802 3ad, and QinQ(0x8100) / QinQ(0x9100)
- B. None. 802. 1q. 802, 1 ad, arid QinQ(0x8100) / QinQ(0x9100)
- C. None, 802 1q. 802_1ac, and Qin(0x8100) / QinQ(0x9100)
- D. None, 802 1d, 802.1ad, and QinQ(0x8100)/ QinQ(0x9100)

Correct Answer: B

[5V0-42.21 VCE Dumps](#)

[5V0-42.21 Study Guide](#)

[5V0-42.21 Exam Questions](#)