



# 5V0-61.22<sup>Q&As</sup>

VMware Workspace ONE 21.X Advanced Integration Specialist

## Pass VMware 5V0-61.22 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/5v0-61-22.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by VMware  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

An administrator has been tasked with building and enabling Secure Email Gateway (SEG) V2 on the Unified Access Gateway (UAG). How should the SSL certificate be added to the UAG?

- A. From the UAG console: Import-Certificate-FilePath "C:\CA-PublicKey.Cer"-CertStoreLocation Cert:\LocalMachine\Root
- B. Upload the SSL certificate to the Workspace ONE UEM console, or upload it locally to the UAG when confirming the SEG Edge service on the UAG.
- C. From the UAG console: sudo security add-trusted-cert-d-r trustRoot-k /Library/Keychains/System.keychain ~/new-root-certificate.crt.
- D. Upload the SSL certificate to the Workspace ONE UEM console, or add it when the SSL is configuring the SEG Edge service on the UAG.

Correct Answer: D

Reference: <https://docs.vmware.com/en/Unified-Access-Gateway/2106/uag-deploy-config/GUID-777AD886-B48D-4D07-8A82-F17F3664EDA0.html>

---

### QUESTION 2

Which two methods may administrators use to provision users from Okta to VMware Workspace ONE Access? (Choose two.)

- A. System for Cross-domain Identity Management (SCIM) API
- B. Workspace ONE UEM REST API
- C. Active Directory Sync
- D. Just-in-time (JIT) Provisioning
- E. AirWatch Cloud Connector

Correct Answer: AD

---

### QUESTION 3

An administrator is setting up a new integration between VMware Workspace ONE UEM and VMware Workspace ONE Access. Which settings need to be configured in the VMware Workspace ONE UEM console?

- A. Kerberos admin key, import the Kerberos Admin account, and the admin auth certificate for VMware Workspace ONE Access
- B. REST API admin key, import the API Admin account, and the admin auth certificate for VMware Workspace ONE Access
- C. SOAP API admin key, import the API Admin account, and the admin auth certificate for VMware Workspace ONE



Access

D. Certificate API admin key, import the API Admin account, and the admin auth certificate for VMware Workspace ONE Access

Correct Answer: B

---

#### QUESTION 4

An administrator is attempting to create a magic link in VMware Workspace ONE Access for day zero onboarding. After building the REST API request, the administrator receives the following status code:

409-token.auth.token.already.exists

How should the administrator interpret this error?

- A. The request served successfully
- B. The user does not belong to the AD group that was configured for the token
- C. A user could not be identified using the parameters passed in the body
- D. A token was already generated for the user, so a fresh one cannot be generated

Correct Answer: D

Reference: [https://docs.vmware.com/en/VMware-Workspace-ONE/services/VMware\\_Workspace\\_ONEHub\\_onboarding\\_pre-hires/GUID-8ACB1F84-6C83-4DF0-B4E8-BA2CD27DA3A0.html](https://docs.vmware.com/en/VMware-Workspace-ONE/services/VMware_Workspace_ONEHub_onboarding_pre-hires/GUID-8ACB1F84-6C83-4DF0-B4E8-BA2CD27DA3A0.html)

---

#### QUESTION 5

An organization wants to prevent users from connecting to VMware Horizon desktop or application pools from a Horizon Pod deployed on their internal network unless the user selects the Horizon pool from the Unified Catalog of their Workspace ONE Access shared SaaS tenant.

Which additional setting must the organization administrator configure?

- A. Enable the Virtual App Service on all Unified Access Gateway systems that allow users to connect to Horizon pools from the Horizon Pod
- B. Configure the Workspace ONE Access tenant as a SAML 2.0 authenticator on all Horizon Connection Servers in the Horizon Pod
- C. Enable the VMware Tunnel on all Unified Access Gateway systems that allow users to connect to Horizon pools from the Horizon Pod
- D. Set "Delegation of authentication to VMware Horizon (SAML 2.0 Authenticator)" to "Allowed" on all Horizon Connection Servers in the Horizon Pod

Correct Answer: C

Reference: <https://docs.vmware.com/en/VMware-Workspace-ONE-Access/22.09/ws1-access-resources.pdf>

---



VCE & PDF

PassApply.com

<https://www.passapply.com/5v0-61-22.html>

2024 Latest passapply 5V0-61.22 PDF and VCE dumps Download

---

[5V0-61.22 PDF Dumps](#)

[5V0-61.22 VCE Dumps](#)

[5V0-61.22 Braindumps](#)