



600-210^{Q&As}

Implementing Cisco Service Provider Mobility UMTS Networks

Pass Cisco 600-210 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/600-210.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

An airport is providing free one-hour mobile Internet service for passengers. At the end of the free onehour service, the PCRF sends a Diameter command to the mobile packet core to stop the free service. Which Diameter command is sent by the PCRF?

- A. CCR-U
- B. RAR
- C. CCR-T
- D. STA
- E. RAA

Correct Answer: B

QUESTION 2

Which two nodes implement the GTP-U protocol in a UMTS network? (Choose two.)

- A. Gateway GPRS Support Node
- B. Base Station Controller
- C. Radio Network Controller
- D. Home Location Registrar
- E. Mobility Management Entity
- F. Mobile Switching Center

Correct Answer: AB

QUESTION 3

Which option describes the ICAP protocol?

- A. ICAP is a protocol designed to enable inter-device communications for different vendor systems to share information about subscribers in a common format. ICAP allows for subscriber session control for actions such as session disconnect and suspension.
- B. ICAP is a protocol designed to enable subscribers to communicate in a peer-to-peer network for file sharing purposes and is often used to circumvent upstream content filtering.



C. ICAP is a communication access package consisting of a mixed platform of services such as web, FTP, and authentication. ICAP is used to minimize the deployment footprint and expedite new offerings for Internet service providers.

D. ICAP is a protocol designed to support dynamic content filtering, insertion, and modification of web pages. ICAP allows interaction with external content servers such as parental control (content filtering) servers to provide content filtering service support.

Correct Answer: D

QUESTION 4

What is the standard Subsystem Number for the Gf interface in the UMTS domain?

- A. 6
- B. 7
- C. 8
- D. 9

Correct Answer: D

QUESTION 5

Which two rating groups would be included within the AVP Multiple-Services-Credit-Control within the CCR-I message by the Cisco ASR 5000 GGSN? (Choose two.)

- A. 100
- B. 400
- C. 300
- D. 200
- E. 500

Correct Answer: CD
