



600-212^{Q&As}

Implementing Cisco Service Provider Mobility LTE Networks

Pass Cisco 600-212 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/600-212.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which option describes the flow of the S6a configuration on the Cisco ASR 5000 system?

- A. MME-service, hss-peer-service, diameter endpoint, peer configuration
- B. MME-service, diameter endpoint, hss-peer-service, peer configuration
- C. MME-service, diameter endpoint, S6a-service, peer configuration
- D. s6a-service, hss-peer-service, diameter endpoint, peer configuration

Correct Answer: A

QUESTION 2

Exhibit:

```
Context Gi-Context-1
apn pgw-test
  selection-mode subscribed
  ip address pool name pgw-pool-1
  authentication msisdn-auth
  apn-ambr rate-limit direction downlink burst-size auto-readjust duration 1 violate-action drop
  apn-ambr rate-limit direction uplink burst-size auto-readjust duration 1 violate-action drop
  ip context-name Gi-Context-2
  mediation-device no-interims delay-GTP-response
#exit

aaa group radius-1
  radius accounting deadtime 1
  radius accounting max-retries 0
  radius accounting max-transmissions 4
  radius attribute nas-ip-address address 192.168.58.198
  radius attribute nas-identifier DN680-NGME-1
  no radius accounting archive
  radius dictionary 3gpp
  radius server 10.24.59.75 key cisco1 port 1812
  radius accounting server 10.24.59.75 encrypted key 01abd002c82b4a2c port 1813
#exit

aaa group radius-2
  radius accounting deadtime 4
  radius accounting max-retries 2
  radius accounting max-transmissions 5
  radius attribute nas-ip-address address 192.168.58.198
  radius attribute nas-identifier DN680-NGME-1
  no radius accounting archive
  radius dictionary 3gpp
  radius server 10.24.59.76 key cisco1 port 1812
  radius mediation-device accounting server 10.24.59.76 encrypted key 01abd002c82b4a2c port 1813
#exit

Context Gi-Context-2

aaa group radius-3
  radius attribute nas-ip-address address 191.167.57.190
  radius server 10.0.133.10 key cisco1 port 1812
  radius accounting server 10.0.133.10 encrypted key 01abd002c82b4a2c port 1813
#exit

aaa group radius-4
  radius attribute nas-ip-address address 191.167.57.191
  radius server 10.0.133.11 key cisco1 port 1812
  radius mediation-device accounting server 10.0.133.11 encrypted key 01abd002c82b4a2c port 1813
#exit
```



Refer to the exhibit. Which aaa group must be associated with the APN pgw-test?

- A. radius-2
- B. radius-1
- C. radius-4
- D. radius-3

Correct Answer: B

QUESTION 3

Which parameter provides support of radio resource management by the MME across the S1 interface?

- A. RFSP index
- B. relative MME capacity
- C. GUTI
- D. OLD-GUTI

Correct Answer: A

QUESTION 4

Which option is the value of the AVP Auth-Application-ID for the Gy interface?

- A. 17
- B. 4
- C. 38
- D. 13

Correct Answer: B

QUESTION 5

Which two APN names are recommended by GSMA IR.88 / IR.92 in the Voice over LTE solution? (Choose two.)

- A. Voice
- B. Emergency
- C. SOS
- D. IMS



E. Video

F. SIP

Correct Answer: CD

[Latest 600-212 Dumps](#)

[600-212 Practice Test](#)

[600-212 Exam Questions](#)