

600-601^{Q&As}

Managing Industrial Networks with Cisco Networking Technologies

Pass Cisco 600-601 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.passapply.com/600-601.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.passapply.com/600-601.html

2021 Latest passapply 600-601 PDF and VCE dumps Download

QUESTION 1

What does the Cisco PSIRT issue for significant security issues that directly involve Cisco products and require an upgrade, fix, or other customer action?

- A. Cisco Security Advisories
- B. Cisco Security Responses
- C. Cisco Security Notices
- D. Cisco Security Bulletins

Correct Answer: A

QUESTION 2

Which of the following correctly pairs the dotted decimal subnet mask with the correct number of binary bits that represent the subnet mask?

- A. 255.255.255.192 and /25
- B. 255.255.255.248 and /28
- C. 255.255.255.224 and /26
- D. 255.255.255.248 and /27
- E. 255.255.255.240 and /28
- F. 255.255.255.240 and /16

Correct Answer: E

QUESTION 3

Exhibit:

https://www.passapply.com/600-601.html

2021 Latest passapply 600-601 PDF and VCE dumps Download

```
Switch# show spanning-tree vlan 30
VLAN0030
Spanning tree enabled protocol rstp
Root ID Priority 24606
Address 00d0.047b.2800
This bridge is the root
Hello Time 2 sec Max Age 20 sec Forward Delay 15 sec
Bridge ID Priority 24606 (priority 24576 sys-id-ext 30)
Address 00d0.047b.2800
Hello Time 2 sec Max Age 20 sec Forward Delay 15 sec
Aging Time 300
Interface
            Role Sts Cost
                             Prio.Nbr
                                          Type
                              -----
            Desg FWD
Fa1/1
                              128.1
                                          p2p
Fa1/2
                              128.2
            Desg
                                          p2p
Fa5/1
            Desg FWD
                        4
                              128.257
                                          p2p
```

Refer to the exhibit. The output that is shown is generated at an industrial switch. Which three statements are true? (Choose three.)

- A. All ports will be in a state of discarding, learning, or forwarding.
- B. Thirty VLANs have been configured on this switch.
- C. The bridge priority is lower than the default value for spanning tree.
- D. All interfaces that are shown are on shared media.
- E. All designated ports are in a forwarding state.
- F. This switch must be the root bridge for all VLANs on this switch.

Correct Answer: ACE

QUESTION 4

Exhibit:

https://www.passapply.com/600-601.html

2021 Latest passapply 600-601 PDF and VCE dumps Download

in terfa ce FastEthe m et 1/1	I.
switchport access vlan 102	interface Vlan101
[]	ip address 192168.1.1 255.255255.0
in terfa ce FastEthe m et 1/2	cip e nable
switchport access vlan 104	
1	interface Vian102
in terface FastEthe m et 1/3	ip address 192168.2.1 255.255255.0
switchport access vlan 103	cip enable
1	
in terface FastEthe m et 1/4	interface Vlan103
switchport access vian 101	ip address 192168.3.1 255.255255.128
E	cm enable
in terfa ce FastEthe m et1/5	Ĺ
switchport trunk native vian 103	interface Vlan104
switchport node trunk	ip address 192168.3.129 253.255255.128
0.0	cip enable
in terfa ce Vlan 1	1
no ip address	ip classiess

Refer to the exhibit. Which port should a PLC with IP address 192.168.3.65 be plugged into in order to communicate to the rest of the network?


- A. FastEthernet1/1
- B. FastEthernet1/2
- C. FastEthernet1/3
- D. FastEthernet1/4
- E. FastEthernet1/5

Correct Answer: C

QUESTION 5

Exhibit: Refer to the exhibit. CCNA.com has the industrial network shown in the exhibit. All switches are configured as layer 2 switches and are using VLAN 1 as their management VLAN. Each VLAN 1 interface has been assigned the correct IP address. What is the purpose of assigning a default gateway to SW-C switch?

https://www.passapply.com/600-601.html 2021 Latest passapply 600-601 PDF and VCE dumps Download



- A. allows connectivity between the VLAN 1 interface on SW-C and other devices in the network.
- B. allows connectivity between Host A and other devices in the network.
- C. allows connectivity between Host B and other devices in the network.
- D. allows the switch to pass traffic between Host A and Host B

Correct Answer: A

<u>Latest 600-601 Dumps</u> <u>600-601 PDF Dumps</u>

600-601 Practice Test



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.passapply.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © passapply, All Rights Reserved.