



6103^{Q&As}

Avaya ERS 8000 and Avaya VSP 9000 Implementation Exam

Pass Avaya 6103 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/6103.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Avaya
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Given the following error message:

Power Supply Down(PsID=1,OperStatus=4)

What does the error message mean regarding the power supply?

- A. It has failed.
- B. It is installed,
- C. It is intermittent.
- D. It is missing.

Correct Answer: A

QUESTION 2

Refer to the exhibit.

OwnerVrfid	Dest	Mask	NextHop	NextHopVrfid	Enable	Stat
0	0.0.0.0	0.0.0.0	192.168.3.3	0	true	acth
0	10.0.0.0	255.0.0.0	192.168.3.5	0	true	inac

The EDM is used to see the configured routes within your system.

Based on the information in the exhibit, what is the problem with the route to the 10.0.0.0 network?

- A. The route has a metric of 1.
- B. The route is inactive.
- C. The route is not configured.
- D. The route has no next hop.

Correct Answer: B

QUESTION 3



On the VSP 9000, there are a maximum of 256 VRRP instances per VRF. What is the maximum number of instances that are allowed on the system?

- A. 256
- B. 512
- C. 768
- D. 1024

Correct Answer: B

QUESTION 4

After issuing a show mlt ist stats (CLI) or show ist stat (ACLI) command, it is determined that the running type is normal MLT and not IST.

What are two causes of the IST not running properly? (Choose two.)

- A. The MLT ID does not match on both switches.
- B. The IST is not enabled on both switches.
- C. The peer IP addresses have to be 192.168.1.1/30 and 192.168.1.2/30.
- D. The peer IP address is not the address of the peer switch IST VLAN.

Correct Answer: BD

QUESTION 5

In a VSP 9000 chassis, which command is used to see the information on the installed software?

- A. show software
- B. show sys installed
- C. show sys software
- D. show sys boot

Correct Answer: C