



6103^{Q&As}

Avaya ERS 8000 and Avaya VSP 9000 Implementation Exam

Pass Avaya 6103 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/6103.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Avaya
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A technician has installed the Advanced License. After initial configuration of an ERS 8000 system, the technician must also configure VRF for use on the network.

Which license enables the use of VRF?

- A. the Advanced license
- B. the Premier license
- C. the Base license
- D. the VRF License

Correct Answer: B

QUESTION 2

Which statement describes how to configure Simple Loop Prevention protocol (SLPP) Rx?

- A. SLPP is configured on the edge switch ports that connect to the core switch cluster.
- B. SLPP is configured on the Inter Switch Trunk (IST) ports of the core switch cluster.
- C. SLPP is configured on the core switch cluster ports that connect to the edge switch.
- D. SLPP is configured on the uplink ports of both the core switch cluster and the edge switch.

Correct Answer: B

QUESTION 3

QoS is the ability to manage the performance of data flows by giving treatment to the data flows, users, and applications.

For which two network problems would QoS be a good solution? (Choose two.)

- A. interface duplex mismatch
- B. slow route table convergence
- C. lack of bandwidth
- D. end-to-end delay
- E. network loops

Correct Answer: AE



QUESTION 4

A customer is expressing concern about reliability for their single uplink connections to the wiring closet. The switches in the wiring closet support Distributed Multi-Link Trunking (DMLT).

What can be done so the Virtual Services Platform (VSP) 9000 can eliminate a single point of failure for the lowest cost?

- A. Add a second switch fabric module.
- B. Duplicate the trunk elements in software.
- C. Duplicate the trunks across separate modules using DMLT.
- D. Configure multiple VSP 9000 switches using Split Multi-Link Trunking (SMLT).

Correct Answer: C

QUESTION 5

In the current business environment everyone is being asked to do more with fewer physical resources. Using virtualization allows the Virtual Services Platform (VSP) 9000 to increase the services provided.

By using VRF-Lite, what does the VSP 9000 eliminate the need for?

- A. SMLT
- B. RSMLT
- C. Non-overlapping addresses
- D. Multiple physical routers

Correct Answer: D

[Latest 6103 Dumps](#)

[6103 VCE Dumps](#)

[6103 Brindumps](#)