



# 640-875<sup>Q&As</sup>

Building Cisco Service Provider Next-Generation Networks

## Pass Cisco 640-875 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/640-875.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

In Cisco IOS XR, which three operations is Admin mode used for? (Choose three.)

- A. Secure Domain Router management
- B. Configuration-register settings
- C. Hostname configuration
- D. IOS XR software package upgrades
- E. Interface duplex settings
- F. Domain-name configuration

Correct Answer: ABD

### QUESTION 2

Refer to the exhibit.

```
NTP Secondary configuration:

Interface loopback 0
IP address 209.165.200.226 255.255.255.224

NTP source loopback 0

NTP master 3

Current configuration on NTP clients

NTP server 209.165.200.227
```

A network administrator is setting up a new core router to be a secondary NTP server. What command would need to be added to NTP Client configuration shown?

- A. NTP server 209.165.200.227 preferNTP server 209.165.200.226
- B. NTP server 209.165.200.227NTP server 209.165.200.226 secondary
- C. NTP server 209.165.200.227 preferNTP server 209.165.200.226 backup
- D. NTP server 209.165.200.227NTP server 209.165.200.226 prefer

Correct Answer: A



### QUESTION 3

Refer to the exhibit.

```
RouterX# show ip nat translations
```

Prct	Inside global	Inside local	Outside local	Outside global
TCP	172.17.38.1:1050	192.168.3.7:1050	10.1.1.1:23	10.1.1.1:23
TCP	172.17.38.1:1776	192.168.4.12:1776	10.2.2.2:25	10.2.2.2:25

Which configuration is necessary to support this output?

- A. interface Ethernet0 ip address 192.168.3.1 255.255.255.0 ip nat outside! interface Ethernet1 ip address 192.168.4.1 255.255.255.0 ip nat outside! interface Serial0 ip address 172.17.38.1 255.255.255.0 ip nat inside! ip nat inside source list 1 interface Serial0 overload! access-list 1 permit 192.168.3.0 0.0.0.255 access-list 1 permit 192.168.4.0 0.0.0.255
- B. interface Ethernet0 ip address 192.168.3.1 255.255.255.0 ip nat inside! interface Ethernet1 ip address 192.168.4.1 255.255.255.0 ip nat inside! interface Serial0 ip address 172.17.38.1 255.255.255.0 ip nat outside! ip nat inside source list 1 interface Serial0 overload! access-list 1 permit 172.17.38.0 0.0.0.255
- C. interface Ethernet0 ip address 192.168.3.1 255.255.255.0 ip nat inside! interface Ethernet1 ip address 192.168.4.1 255.255.255.0 ip nat inside! interface Serial0 ip address 172.17.38.1 255.255.255.0 ip nat outside! ip nat inside source list 1 static 172.17.38.1! access-list 1 permit 192.168.3.0 0.0.0.255 access-list 1 permit 192.168.4.0 0.0.0.255
- D. interface Ethernet0 ip address 192.168.3.1 255.255.255.0 ip nat inside! interface Ethernet1 ip address 192.168.4.1 255.255.255.0 ip nat inside! interface Serial0 ip address 172.17.38.1 255.255.255.0 ip nat outside! ip nat inside source list 1 interface Serial0 overload! access-list 1 permit 192.168.3.0 0.0.0.255 access-list 1 permit 192.168.4.0 0.0.0.255

Correct Answer: D

### QUESTION 4

An engineer with employee is planning the subnetting layout for their company and must create 30 networks each with 200 hosts. Which IP address meets this requirement using the longest prefix length possible?

- A. 10.10.0.0/17
- B. 10.10.0.0/18
- C. 10.10.0.0/19
- D. 10.10.0.0/20

Correct Answer: D

### QUESTION 5

DRAG DROP



Drag the network characteristics from the left and drop them on the correct network type on the right.

Select and Place:

lower cost to operate and maintain	WAN	Target
covers a larger geographical area	WAN	Target
requires service from a service provider	WAN	Target
has higher bandwidth	LAN	Target
a common Layer 2 encapsuation type is PPP	LAN	Target
typically uses Cat5 twisted pair cablings	LAN	Target

Correct Answer:

	WAN	covers a larger geographical area
	WAN	a common Layer 2 encapsuation type is PPP
	WAN	requires service from a service provider
	LAN	lower cost to operate and maintain
	LAN	typically uses Cat5 twisted pair cablings
	LAN	has higher bandwidth

[Latest 640-875 Dumps](#)

[640-875 Study Guide](#)

[640-875 Braindumps](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

## Try our product !


100% Guaranteed Success  
100% Money Back Guarantee  
365 Days Free Update  
Instant Download After Purchase  
24x7 Customer Support  
Average 99.9% Success Rate  
More than 800,000 Satisfied Customers Worldwide  
Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.passapply.com/allproducts>

## Need Help

Please provide as much detail as possible so we can best assist you.  
To update a previously submitted ticket:



 <p><b>One Year Free Update</b> Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p><b>Money Back Guarantee</b> To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p><b>Security &amp; Privacy</b> We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information &amp; peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.  
All trademarks are the property of their respective owners.  
Copyright © passapply, All Rights Reserved.