642-980^{Q&As}

Troubleshooting Cisco Data Center Unified Fabric

Pass Cisco 642-980 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/642-980.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

When you ping your new Cisco Nexus 7010 Switch, you see this output:

!!...!!...!!...!!...!!...

What could be the problem?

A. Traffic may be taking a bad route through the network.

B. HSRP is flapping.

C. CoPP is rate-limiting the pings.

D. The switch has high CPU utilization.

Correct Answer: C

QUESTION 2

An administrator wants to combine the advantages of a trunking F port and an F port channel.

Which command on a Cisco MDS switch should be used to enable this?

A. enable port-channel

B. feature trunking-fport

C. feature fport-channel-trunk

D. port-channel trunk

E. feature fport-trunk

Correct Answer: C

QUESTION 3

Instructions   ☒

- Enter NX-OS commands on the device to verify network operation and answer the multiple-choice questions.
- **THIS TASK DOES NOT REQUIRE DEVICE CONFIGURATION.**
- Click on the Console PC to gain access to the console of the router. No console or enable passwords are required.
- To access the multiple-choice questions, click on the numbered boxes on the left of the top panel.
- There are **three** multiple-choice questions with this task. Be sure to answer all three questions before clicking the **Next** button.

Scenario   ☒

The following three troubleshooting questions concern the Cisco Nexus 7000 and Nexus 5000 switches, which are at the core of the data center network. You can utilize all the available **show** commands to answer the questions. Access to the running configuration is not allowed.

N5K2

N5K2#

N5K1

N5K1#

The Cisco Nexus 2248 FEX has been added recently to the network via a vPC to the Nexus 5000 switches; however, connectivity is not yet operational. What is the problem with the configuration?

A. Both Nexus 5000 switches must associate to the same FEX number

B. Each Nexus 5000 should have its own FEX to support a straight-through topology.

C. The maximum number of links for pinning purposes should be increased to 2.

D. Ethernet1/18 must be configured without a port channel.

Correct Answer: D

QUESTION 4

Which two commands are used to determine the CoPP profile used on Cisco Nexus 7000 Series? (Choose two.)

A. #show copp profile

B. #show copp diff profile

C. #show copp status

D. #show running-config copp

E. #show policy-map interface control-plane

Correct Answer: CD

QUESTION 5

Which configuration is needed to suppress duplicate IP addresses when HSRP localization is enabled?

A. Configure matching passwords in each data center.

B. Configure no ip arp gratuitous hsrp duplicate under the VLAN.

C. Remove the passwords in each data center.

D. Configure mismatching HSRP versions between data centers.

E. Change one data center to run VRRP rather than HSRP.

Correct Answer: B

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

https://www.passapply.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: