

# 642-980<sup>Q&As</sup>

Troubleshooting Cisco Data Center Unified Fabric

# Pass Cisco 642-980 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.passapply.com/642-980.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



## https://www.passapply.com/642-980.html

2021 Latest passapply 642-980 PDF and VCE dumps Download

### **QUESTION 1**

You apply a new CoPP profile to a Cisco Nexus 7000 Series, and it stops responding to ping requests. Which option should you check?

- A. server SO
- B. SVI that is associated with the server subnet
- C. CoPP counters
- D. ACL that is associated with the CoPP profile applied

Correct Answer: D

### **QUESTION 2**

If no traffic was ever sent across the overlay, what will the show mac address-table command on the OTV VDC indicate?

- A. invalid command
- B. the MAC address of the local OTV join interface
- C. the system IDs of all the local OTV edge devices
- D. the system IDs of all the local and remote edge devices in the overlay
- E. all the MAC addresses learned on the extended VLAN

Correct Answer: B

### **QUESTION 3**

Which configuration is needed to suppress duplicate IP addresses when HSRP localization is enabled?

- A. Configure matching passwords in each data center.
- B. Configure no ip arp gratuitous hsrp duplicate under the VLAN.
- C. Remove the passwords in each data center.
- D. Configure mismatching HSRP versions between data centers.
- E. Change one data center to run VRRP rather than HSRP.

Correct Answer: B

### **QUESTION 4**



### https://www.passapply.com/642-980.html

2021 Latest passapply 642-980 PDF and VCE dumps Download

What are the two most common causes of the "SFP validation failed" error on an interface when you attempt to connect aCisco Nexus 2148T Fabric Extender to aCisco Nexus 5548UP Switch? (Choose two.)

- A. The port must be in switchport monitor mode.
- B. It is a hardware limitation of the Cisco Nexus 2148T.
- C. The wrong speed is configured on the interface.
- D. The incorrect license has been applied on the Cisco Nexus 5548UP.
- E. The wrong switchport mode is configured on the interface.

Correct Answer: CE

### **QUESTION 5**

Refer to the exhibit. Which two issues causeaproblemwith the implementation of an OTV between data centers? (Choosetwo.)

interface Overlay1
otv join-interface port-channel101
otv control-group 239.1.1.1
otv data-group 239.1.1.0/24
otv extend-vlan 100-110
!
interface port-channel 101
mtu 9216
ip address 172.31.2.2/30
ip igmp version 2

- A. incorrect control-group address
- B. incorrect data-group range
- C. overlapping control-group and data-ranges
- D. incorrect MTU
- E. incorrect IGMP version

Correct Answer: CE

642-980 VCE Dumps

642-980 Practice Test

642-980 Braindumps



To Read the Whole Q&As, please purchase the Complete Version from Our website.

# Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

**Instant Download After Purchase** 

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.passapply.com/allproducts

# **Need Help**

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © passapply, All Rights Reserved.