



70-243^{Q&As}

Administering and Deploying System Center 2012 Configuration Manager

Pass Microsoft 70-243 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/70-243.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

DRAG DROP

Your network contains a single Active Directory domain named contoso.com. System Center 2012 R2 Configuration Manager Service Pack 1 (SP1) is deployed to contoso.com.

You have a Windows 8.1 operating system image named Image1 in Configuration Manager. Image1 has the data source of \\server1.contoso.com\source\Image1.wim. New client computers are deployed by using Image1.

You have an application named App1. App1 is a configuration utility that must be installed by using a Windows Installer (MSI) package.

You need to ensure that App1 is included in all future deployments of Image1.



Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions

- Refresh Image1.
- Install App1.exe.
- Deploy Image 1.
- Capture an image.
- Mount Image1.wim.
- Unmount Image1.wim.
- Schedule updates for Image1.
- Distribute the image to distribution points.

Answer Area



Correct Answer:




Actions

| |
|------------------------------|
| Refresh Image1. |
| |
| |
| |
| |
| Mount Image1.wim. |
| Unmount Image1.wim. |
| Schedule updates for Image1. |
| |
| |

Answer Area

| |
|--|
| Deploy Image 1. |
| Install App1.exe. |
| Capture an image. |
| Distribute the image to distribution points. |



QUESTION 2

HOTSPOT

You have a System Center 2012 R2 Configuration Manager Service Pack 1 (SP1) deployment. You enable the Backup Site Server maintenance task and you configure the task to back up to a local drive. You need to copy the backup to a network share automatically as soon as the backup completes. What should you do? To answer, select the appropriate options in the answer area.

Hot Area:

Answer Area

Name of the script that copies the backup:

- AfterBackup.bat
- AfterBackup.cmd
- AfterBackup.ps1
- AfterBackup.vbs

Location in which to store the script:

- %systemroot%\WinSxS\Backup
- %ProgramFiles%\Microsoft Configuration Manager\inboxes\smsbkup.box
- %ProgramFiles%\Microsoft Configuration Manager\inboxes\schedule.box

Correct Answer:



Answer Area

Name of the script that copies the backup:

- AferBackup.bat
- AferBackup.cmd
- AferBackup.ps1
- AferBackup.vbs

Location in which to store the script:

- %systemroot%\WinSxS\Backup
- %systemroot%\WinSxS\Backup
- %ProgramFiles%\Microsoft Configuration Manager\inboxes\smsbkup.box
- %ProgramFiles%\Microsoft Configuration Manager\inboxes\schedule.box

The AfterBackup.bat file is used to perform post-backup actions automatically after theBackup Site Server maintenance task runs successfully. To create the AfterBackup.bat batch file

QUESTION 3

HOTSPOT

You have a System Center 2012 R2 Configuration Manager Service Pack 1 (SP1) standalone primary site.
 You have a Configuration Manager application named App1 and a Configuration Manager package named Package1.
 You need to ensure that App1 and Package1 are deployed only to Windows 8 computers.
 In the table below, identify what to configure for App1 and Package1.

NOTE: Make only one selection in each column.

Hot Area:

Answer Area

| Configuration | App1 | Package1 |
|------------------------------|-----------------------|-----------------------|
| Deployment type requirements | <input type="radio"/> | <input type="radio"/> |
| Distribution settings | <input type="radio"/> | <input type="radio"/> |
| Program advanced settings | <input type="radio"/> | <input type="radio"/> |
| Program requirements | <input type="radio"/> | <input type="radio"/> |

Correct Answer:



Answer Area

| Configuration | App1 | Package1 |
|------------------------------|----------------------------------|----------------------------------|
| Deployment type requirements | <input type="radio"/> | <input type="radio"/> |
| Distribution settings | <input type="radio"/> | <input type="radio"/> |
| Program advanced settings | <input type="radio"/> | <input type="radio"/> |
| Program requirements | <input checked="" type="radio"/> | <input checked="" type="radio"/> |

QUESTION 4

DRAG DROP

You have a System Center 2012 R2 Configuration Manager Service Pack 1 (SP1) deployment. The deployment includes the collections described in the following table.

| Collection name | Member of collections |
|-----------------|-----------------------|
| Collection1 | Computer2 |
| Collection2 | Computer2, Computer3 |
| Collection3 | Computer3 |

Configuration Manager has the client settings configured as shown in the following table.

| Setting name | Priority | Deployed to | Additional hardware inventory classes |
|-------------------------|----------|-----------------------|---------------------------------------|
| Default Client Settings | 10000 | <i>Not applicable</i> | <i>Not applicable</i> |
| Settings1 | 1 | Collection1 | Trusted Platform Module (TPM) |
| Settings2 | 2 | Collection2 | Battery |
| Settings3 | 3 | Collection3 | 1394 controller |

You need to identify which additional hardware inventory classes will be collected from Computer2 and Computer3.

What should you identify? To answer, drag the appropriate hardware inventory classes to the correct computers. Each hardware inventory class may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

Select and Place:



Hardware Inventory Classes

- 1394 controller only
- Battery only
- TPM only
- 1394 controller and battery only
- 1394 controller and TPM only
- Battery and TPM only
- 1394 controller, TPM, and battery
- No additional classes

Answer Area

Computer2: Hardware inventory class

Computer3: Hardware inventory class

Correct Answer:

Hardware Inventory Classes

- 1394 controller only
- Battery only
- TPM only
- 1394 controller and TPM only
- Battery and TPM only
- No additional classes

Answer Area

Computer2: 1394 controller, TPM, and battery

Computer3: 1394 controller and battery only

When you create a custom set of client settings, you include in this custom list only those settings that should differ from the default. Any settings not included on the custom list will be derived from the default settings automatically.

QUESTION 5

HOTSPOT

You manage a System Center 2012 R2 Configuration Manager Service Pack 1 (SP1) stand-alone primary site. The



deployment contains the servers configured as shown in the following table.

| Server name | Configuration |
|-------------|--------------------------|
| Server1 | Site server |
| Server2 | Distribution point |
| Server3 | SMS Provider |
| Server4 | Reporting services point |
| Server5 | Management point |
| Server6 | Site database server |

You are troubleshooting the hardware inventory flow from a Windows 8.1 computer named Client1. You need to verify whether the following events have occurred:

- The inventory files were uploaded from Client1.
- The inventory data was added to the site database.

Which log should you verify for each event? To answer, select the appropriate options in the answer area.

Hot Area:

Answer Area

The inventory files were uploaded from Client1:

| | |
|--------------------------------------|---|
| | ▼ |
| Datatransferservice.log on Client1 | |
| Invproc.log on Server1 | |
| Mp_hinv.log Server5 | |
| The application event log on Server3 | |

The inventory data was added to the site database:

| | |
|------------------------------------|---|
| | ▼ |
| Dataldr.log Server1 | |
| Datatransferservice.log on Client1 | |
| Invproc.log on Server1 | |
| Mp_hinv.log Server5 | |

Correct Answer:



Answer Area

The inventory files were uploaded from Client1:

| | |
|--------------------------------------|---|
| | ▼ |
| Datatransferservice.log on Client1 | |
| Invproc.log on Server1 | |
| Mp_hinv.log Server5 | |
| The application event log on Server3 | |

The inventory data was added to the site database:

| | |
|------------------------------------|---|
| | ▼ |
| Datadr.log.Server1 | |
| Datatransferservice.log on Client1 | |
| Invproc.log on Server1 | |
| Mp_hinv.log Server5 | |

*

Box 1:

MP_Hinv.log records details about the conversion of XML hardwareinventory records from clients and the copy of those files to the site server.

*

Box 2:

datadr.log records information about the processing of Management Information Format (MIF) files and hardware inventory in the Configuration Manager database.

Is placed on the site server.

[70-243 PDF Dumps](#)

[70-243 Practice Test](#)

[70-243 Braindumps](#)