

70-462^{Q&As}

Administering Microsoft SQL Server 2012/2014 Databases

Pass Microsoft 70-462 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.passapply.com/70-462.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



2021 Latest passapply 70-462 PDF and VCE dumps Download

QUESTION 1

You administer a Microsoft SQL Server 2012 database named Contoso on a server named Server01.

You need to diagnose deadlocks that happen when executing a specific set of stored procedures by recording events and playing them back on a different test server.

What should you create?

- A. An Extended Event session
- B. A Policy
- C. A Database Audit Specification
- D. An Alert
- E. A Server Audit Specification
- F. A SQL Profiler Trace
- G. A Resource Pool

Correct Answer: F

Reference: http://msdn.microsoft.com/en-us/library/ms188246.aspx

QUESTION 2

You are a database developer for an application hosted on a Microsoft SQL Server 2012 server. The database contains two tables that have the following definitions:

```
CREATE TABLE Customer

(CustomerID int NOT NULL PRIMARY KEY,
CustomerName varchar(50) NOT NULL)

CREATE TABLE Orders

(OrderID int NOT NULL PRIMARY KEY)

CustomerID int NOT NULL FOREIGN KEY REFERENCES Customer (CustomerID),
OrderAmount money NOT NULL,
ShippingCountry varchar(50) NOT NULL)
```

Global customers place orders from several countries. You need to view the country from which each customer has placed the most orders. Which Transact-SQL query do you use?

2021 Latest passapply 70-462 PDF and VCE dumps Download

```
A. SELECT c.CustomerID, c.CustomerName, o.ShippingCountry
       FROM Customer c
       INNER JOIN
            (SELECT CustomerID, ShippingCountry,
                RANK() OVER (PARTITION BY CustomerID
                ORDER BY COUNT (OrderAmount) DESC) AS Rnk
           GROUP BY CustomerID, ShippingCountry) AS o
       ON c.CustomerID = o.CustomerID
       WHERE o.Rnk = 1
 B.
      SELECT c.CustomerID, c.CustomerName, o.ShippingCountry
         FROM
               (SELECT c.CustomerID, c.CustomerName,
    o.ShippingCountry,
              RANK() OVER (PARTITION BY CustomerID
                    ORDER BY COUNT(o.OrderAmount) ASC) AS Rnk
         FROM Customer c
         INNER JOIN Orders o
         ON c.CustomerID = o.CustomerID
         GROUP BY c.CustomerID,
                                   CustomerName, o.ShippingCountry)
    CS
         WHERE Rnk = 1
 C. SELECT c.CustomerID,
                          c CustomerName, o.ShippingCountry
       FROM Customer
       INNER JOIN
             (SELECT CustomerID, ShippingCountry,
            RANKY) OVER (PARTITION BY CustomorID
                 ORDER BY OrderAmount DESC) AS Rnk
            FROM Orders
            GROUP BY CustomerID, ShippingCountry) AS o
       ON c.CustomerID = o.CustomerID
       WHERE o.Rnk = 1
 D. SELECT c.CustomerID, c.CustomerName, o.ShippingCountry
       FROM Customer c
       INNER JOIN
            (SELECT CustomerID, ShippingCountry,
                  COUNT(OrderAmount) DESC) AS OrderAmount
            FROM Orders
            GROUP BY CustomerID, ShippingCountry) AS o
       ON c.CustomerID = o.CustomerID
       ORDER BY OrderAmount DESC
A. OptionA
```

- B. OptionB
- C. OptionC



2021 Latest passapply 70-462 PDF and VCE dumps Download

D. OptionD

Correct Answer: A

QUESTION 3

You administer a Microsoft SQL Server failover cluster that contains two nodes named Node A and Node B. A single instance of SQL Server is installed on the cluster.

An additional node named Node C has been added to the existing cluster.

You need to ensure that the SQL Server instance can use all nodes of the cluster.

What should you do?

- A. Create a ConfigurationFile.ini file from Node B, and then run the AddNode command-line tool on Node C.
- B. Build a new cluster, shut down the current instance, and then migrate to the new cluster.
- C. Run the New SQL Server stand-alone installation Wizard on Node C.
- D. Use Node B to install SQL Server on Node C.

Correct Answer: C

To add a node to an existing SQL Server failover cluster, you must run SQL Server Setup on the node that is to be added to the SQL Server failover cluster instance. Do not run Setup on the active node.

The Installation Wizard will launch the SQL Server Installation Center. To add a node to an existing failover cluster instance, click Installation in the left-hand pane. Then, select Add node to a SQL Server failover cluster.

References:

https://docs.microsoft.com/en-us/sql/sql-server/failover-clusters/install/add-or-remove-nodes-in-a-sql-server-failover-cluster-setup?view=sql-server-2017

QUESTION 4

You administer a Microsoft Azure SQL Database instance named Inventory that contains a stored procedure named p AddInventory.

Users need to be able to SELECT from all tables in the database and execute the stored procedure.

You need to grant only the necessary permissions.

What should you do?

- A. Add EXECUTE AS OWNER to the stored procedure. Add all users to the db_datareader role.
- B. Grant EXECUTE permission on p_AddInventory to all users. Add all users to the db_datawriter role.



2021 Latest passapply 70-462 PDF and VCE dumps Download

- C. Add all users to the db_owner role.
- D. Add all users to the db_datawriter role. Add all users to the dbd_datareader role.

Correct Answer: A

Executing as OWNER executes the procedure in the context of the procedure owner. If the procedure is created in a schema owned by dbo or the database owner, the procedure will execute with unrestricted permissions.

Members of the db_datareader fixed database role can read all data from all user tables.

References:

https://docs.microsoft.com/en-us/dotnet/framework/data/adonet/sql/customizing-permissions-with-impersonation-in-sql-server

https://docs.microsoft.com/en-us/sql/relational-databases/security/authentication-access/database-level-roles

QUESTION 5

Which of the following recovery models must be in use for point-in-time recovery to be possible for an SQL Server 2012 database?

- A. Differential
- B. Full
- C. Simple
- D. ArchiveLog

Correct Answer: B

References: https://msdn.microsoft.com/en-us/library/ms189275%28v=sql.110%29.aspx

Latest 70-462 Dumps

70-462 Practice Test

70-462 Braindumps



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.passapply.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © passapply, All Rights Reserved.