70-480 Q&As

Programming in HTML5 with JavaScript and CSS3

Pass Microsoft 70-480 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/70-480.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft Official Exam Center

- **Instant Download** After Purchase
- **100% Money Back** Guarantee
- **365 Days** Free Update
- **800,000+** Satisfied Customers

QUESTION 1

You are developing a web form that includes the following HTML.

You need to ensure that a value is entered into txtValue before the form is submitted.

Which code segment should you use?

A.
```
function validate() {
  var name = $("#txtValue").val();
    if (name == null || name == "")
      alert("please enter valid value");
      return;
}
```

B.
```
function validate() {
  var value = $("#txtValue").val();
  var regex = /^[\d\,\.]*$/;
  if (!regex.test(value))
    alert("please enter valid value");
  return;
}
```

C.
```
function validate() {
  var name = $("#txtValue").get();
    if (name == null || name == "")
      alert("please enter valid value");
      return;
}
```

D.
```
function validate() {
  var value = $("#txtValue").get();
  var regex = /^[A-Za-z]{3}/;
  if (!regex.test(value) || value == "")
    alert("please enter valid value");
  return;
}
```

www.PassApply.com

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: A

Input Text Object Properties include:

value: Setsor returns the value of the value attribute of the text field

Check if text is a null value or an empty string.

References:

https://www.w3schools.com/jsref/dom_obj_text.asp

QUESTION 2

You develop an HTML5 webpage. You have the following HTML markup:

You need to prevent users from entering specific characters into the username field.

What should you do?

A. Using the keyup event, add an anonymous function that returns true when a specific character keycode value is determined.

B. Using the change event, add an anonymous function that returns true when a specific character keycode value is determined.

C. Using the keydown event, add an anonymous function that returns false when a specific character keycode value is determined.

D. Using the change event, add an anonymous function that returns false when a specific character keycode value is determined.

Correct Answer: B

The change event is fired for , , and elements when a change to the element\\'s value is committed by the user. Use the change event and an anonymous function to detect illegal specific characters in the input.

QUESTION 3

You are developing an HTML5 page that has an element with an ID of picture. The page includes the following HTML.

```
<div>
   Picture:<br />
   <div id ="picture">
   </div>
</div>
```

You need to move the picture element lower on the page by five pixels.

Which two lines of code should you use? (Each correct answer presents part of the solution. Choose two.)

A. document.getElementById("picture").style.position = "relative";

B. document.getElementById("picture").style.top = "5px";

C. document.getEiementById("picture").style.top = "-5px";

D. document.getElementById("picture").style.position = "absolute";

Correct Answer: AB

We use relative position to move the position 5 pixels lower on page. Using a negative value would move the picture higher on the page.

Note:

* The top property sets or returns the top position of a positioned element.

This property specifies the top position of the element including padding, scrollbar, border and margin.

Syntax

Set the top property: Object.style.top="auto|length|%|inherit" Where:

Length defines the top position in length units. Negative values are allowed

QUESTION 4

DRAG DROP

You are writing a jQuery function that makes an Ajax request to a remote server.

You need to ensure that if Ajax communications are unsupported by a browser, an error is thrown.

You write the following code.

```
$(document).ready(function () {
var xhrequest;
if (Target 1. Target2) {
   Target 3 = new Target 4();
}
else {
   throw new Error("Error Message");
}})
```

www.PassApply.com

How should you complete the code? To answer, drag the appropriate code elements to the correct targets. Each code element may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:



www.PassApply.com

Correct Answer:



www.PassApply.com

Target 1: window Target 2: XMLHttpRequest Target 3: xhrequest Target 4: ActiveXObject

QUESTION 5

You have the following code:

```
var objStr = "[1, 2, 3, 4]";
```

You need to convert objStr into an array. Which line of code should you use?

A. var jsObject = JSON.stringify(objStr);

B. var jsObject = Array.valueOf(objStr);

C. var jsObject = $.makeArray(objStr);

D. var jsObject = $.parseJSON(objStr);

Correct Answer: D

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

https://www.passapply.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © passapply, All Rights Reserved.