70-642^{Q&As}

TS: Windows Server 2008 Network Infrastructure

Pass Microsoft 70-642 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/70-642.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

365 Days Free Update

800,000+ Satisfied Customers

QUESTION 1

Your network contains an Active Directory domain. The domain contains two DHCP servers named DHCP1 and DHCP2.

On DHCP1, you create a scope named Scope1.

You configure Scope1 as a split scope and add DHCP2 as an additional DHCP server. You need to ensure that DHCP1 and DHCP2 can issue IP addresses.

What should you do from the DHCP console?

A. Reconcile Scope1 on DHCP2.

B. Activate Scope1 on DHCP2.

C. Restart the DHCP Server service on DHCP2.

D. Update the range of IP addresses on DHCP1.

Correct Answer: B

http://technet.microsoft.com/en-us/library/ee405264(WS.10).aspx

QUESTION 2

Your company\\'s corporate network uses Network Access Protection (NAP). Users are able to connect to the corporate network remotely.

You need to ensure that data transmissions between remote client computers and the corporate network are as secure as possible. What should you do?

A. Apply an IPSec NAP policy

B. Configure a NAP policy for 802.1X wireless connections

C. Configure VPN connections to use MS-CHAP v2 authentication

D. Restrict Dynamic Host Configuration Protocol (DHCP) clients by using NAP

Correct Answer: A

QUESTION 3

Your network contains a print server named Server1. Server1 has three shared printers named Printer1, Printer2, and Printer3. Each shared printer uses a different driver.

You need to ensure that if Printer1 causes an exception, users can still print to Printer2 and Printer3.

What should you do?

A. Add a driver filter.

B. Add a printer filter.

C. Modify the print processor options.

D. Modify the driver isolation settings.

Correct Answer: D

QUESTION 4

Your company has two servers that run Windows Server 2008 R2 named Server2 and Server3. Both servers have the DNS Server server role installed. Server3 is configured to forward all DNS requests to Server2.

You update a DNS record on Server2.

You need to ensure that Server3 is able to immediately resolve the updated DNS record.

What should you do?

A. Run the dnscmd . /clearcache command on Server3.

B. Run the ipconfig /flushdns command on Server3.

C. Decrease the Time-to-Live (TTL) on the Start of Authority (SOA) record of na.contoso.com to 15 minutes.

D. Increase the Retry Interval value on the Start of Authority (SOA) record of na.contoso.com to 15 minutes.

Correct Answer: A

dnscmd /clearcache - Clears the DNS server cache. http://technet.microsoft.com/en-us/library/cc772069(v=ws.10).aspx

QUESTION 5

Your network contains an Active Directory domain named contoso.com. The domain contains a server named Server1 that has the Windows Server Update Services (WSUS) server role installed.

You have several client computers that are not members of the domain. The client computers are currently part of the

Unassigned Computers group.

On the client computers, you set the WSUS target group to WSUS_Group1, and then you run wuauclt /resetauthorization / detectnow. You discover that all of the client computers are still members of the Unassigned Computers group.

You need to ensure that the client computers immediately become members of a computer group named WSUS_Group1. What should you do? (Each correct answer presents part of the solution. Choose two.)

A. Create a new WSUS computer group.

B. On Server1, run wuauclt /resetauthorization /detectnow.

C. On Server1, create a new security group.

D. On all of the client computers, run wuauclt /resetauthorization /detectnow.

E. On Server1, run wsusutil /reset.

F. On all of the client computers, run wsusutil /reset.

Correct Answer: AD

Note:

*

 By default, the WSUS server is set to use server-side targeting. If you are using client-side targeting, you need to set an option on the WSUS server.

*

 By default, each computer is already assigned to the All Computers group. Computers will also be assigned to the Unassigned Computers group until you assign them to another group. Regardless of the group you assign a computer to, it will also remain in the All Computers group. A computer can be in only one other group in addition to the All Computers group.

Latest 70-642 Dumps   70-642 VCE Dumps   70-642 Study Guide

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

https://www.passapply.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: