



70-741^{Q&As}

Networking with Windows Server 2016

Pass Microsoft 70-741 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/70-741.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Hyper-V host named Server 1. Server1 connects to your corporate network. Server1 has the virtual switches configured as shown in the following table.

| Virtual switch name | Virtual switch type |
|---------------------|---------------------|
| Private1 | Private |
| Internal1 | Internal |
| External1 | External |

Server1 has two virtual machines named VM1 and VM2 that run Windows Server 2016. VM1 connects to Private1. VM2 has two network adapters.

You need to ensure that VM1 connects to the corporate network by using NAT.

Solution: You connect VM1 to External1. You install the Remote Access server role on Server1, and you configure NAT in the Routing and Remote Access console.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: B

QUESTION 2

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Hyper-V host named Server 1. Server1 connects to your corporate network. Server1 has the virtual switches configured as shown in the following table.

| Virtual switch name | Virtual switch type |
|---------------------|---------------------|
| Private1 | Private |
| Internal1 | Internal |
| External1 | External |

Server1 has two virtual machines named VM1 and VM2 that run Windows Server 2016. VM1 connects to Private1. VM2 has two network adapters.

You need to ensure that VM1 connects to the corporate network by using NAT.

Solution: You connect VM2 to Private1 and External1. You install the Remote Access server on VM2, and you configure



NAT in the Routing and Remote Access console. You configure VM1 to use VM2 as the default gateway.

Does this meet the goal?

A. Yes

B. No

Correct Answer: A

QUESTION 3

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while

others might not have a correct solution.

After you answer a question in this sections, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory forest named contoso.com. The forest has three sites located in London, Paris, and Berlin.

The London site contains a web server named Web1 that runs Windows Server 2016.

You need to configure Web1 as an HTTP content server for the hosted cache servers located in the Paris and Berlin sites.

Solution: You install the Static Content role service, and then you restart the IIS Admin Service.

Does this meet the goal?

A. Yes

B. No

Correct Answer: B

QUESTION 4

You have three servers named Server1, Server2, and Server3 that run Windows Server 2016. On all three servers, Windows Firewall is configured to allow ICMP traffic. Server2 has two network adapters named NIC1 and NIC2. Your network is configured as shown in the exhibit. (Click the Exhibit button.)



The parameters for NIC2 on Server1 are shown in the following output.

Interface NIC2 Parameters

```
-----  
IfLuid           : ethernet 32770  
IfIndex          : 2  
State            : connected  
Metric           : 15  
Link MTU         : 1500 bytes  
Reachable Time   : 15000 ms  
Base Reachable Time : 30000 ms  
Retransmission Interval : 1000 ms  
DAD Transmits    : 3  
Site Prefix Length : 64  
Site Id          : 1  
Forwarding       : disabled  
Advertising      : disabled  
Neighbor Discovery : enabled  
Neighbor Unreachability Detection : enabled  
Router Discovery  : dhcp  
Managed Address Configuration : enabled  
Other Stateful Configuration : enabled  
Weak Host Sends  : disabled  
Weak Host Receives : disabled  
Use Automatic Metric : enabled  
Ignore Default Routes : disabled  
Advertised Router Lifetime : 1800 seconds  
Advertise Default Route : disabled  
Current Hop Limit : 0  
force ARPND wake up patterns : disabled  
Directed MAC Wake up patterns : disabled  
ECN capability   : application
```



Which ping request will result in a reply from the destination host?

- A. From Server2, ping 192.168.15.1
- B. From Server3, ping 192.168.15.1
- C. From Server1, ping 172.16.0.1
- D. From Server1, ping 172.16.0.35

Correct Answer: A

QUESTION 5

DRAG DROP

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario

Your network contains an Active Directory domain named contoso.com. The functional level of the domain is Windows Server 2012.

The network uses an address space of 192.168.0.0/16 and contains multiple subnets.

The network is not connected to the Internet.

The domain contains three servers configured as shown in the following table.

| Server name | Configuration |
|-------------|----------------------------------|
| Server1 | Domain controller and DNS server |
| Server2 | Member server |
| Server3 | DHCP server |

Client computers obtain TCP/IP setting from Server3.

You add a second network adapter to Server2. You connect the new network adapter to the Internet. You install the Routing role service on Server2.



| DNS zone name | Type | Zone file name |
|----------------------|-----------------------------|--------------------------|
| Contoso.com | Active Directory-integrated | None |
| Fabrikam.com | Primary | Fabrikam.com.dns |
| Tailspintoys.com | Primary | Tailspintoys.com.dns |
| 168.192.in-addr.arpa | Primary | 168.192.in-addr.arpa.dns |

End of repeated scenario

You need to ensure that computers in the domain can resolve the following:

1.

The name server2.contoso.com to the name nat.contoso.com

2.

The 192.168.10.50 IP address to the name host7.fabrikam.com

3.

The name server7.tailspintoys.com to the 192.168.100.101 IP address

Which types of DNS records should you use? To answer, drag the appropriate DNS record types to the correct requirements. Each DNS record type may be used once, more than one, or not at all. You may need to drag the split bar between panes or scroll to view content.

Select and Place:

DNS Record Types

| | |
|------------------------|---------------------|
| Alias (CNAME) | Host (A) |
| Host (AAAA) | Mail exchanger (MX) |
| Name server (NS) | Pointer (PTR) |
| Service location (SVR) | Text (TXT) |

Answer Area

| | |
|--|-----------------|
| The name server2.contoso.com to the name nat.contoso.com: | DNS record type |
| The 192.168.10.50 IP address to the name host7.fabrikam.com: | DNS record type |
| The name server7.tailspintoys.com to the 192.168.100.101 IP address: | DNS record type |

Correct Answer:



DNS Record Types

Answer Area

The name server2.contoso.comto the name nat.contoso.com:

The 192.168.10.50 IP address to the name host7.fabrikam.com:

The name server7.tailspintoys.comto the 192.168.100.101 IP address:

[70-741 PDF Dumps](#)

[70-741 VCE Dumps](#)

[70-741 Practice Test](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !


100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.passapply.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



| | | |
|---|---|--|
|  <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p> |  <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p> |  <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p> |
|---|---|--|

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © passapply, All Rights Reserved.