



# 70-767<sup>Q&As</sup>

Implementing a Data Warehouse using SQL

## Pass Microsoft 70-767 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/70-767.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while

others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You plan to deploy a Microsoft SQL server that will host a data warehouse named DB1.

The server will contain four SATA drives configured as a RAID 10 array.

You need to minimize write contention on the transaction log when data is being loaded to the database.

Solution: You replace the SATA disks with SSD disks.

Does this meet the goal?

A. Yes

B. No

Correct Answer: B

A data warehouse is too big to store on an SSD.

Instead you should place the log file on a separate drive.

References:

<https://docs.microsoft.com/en-us/sql/relational-databases/policy-based-management/place-data-and-log-files-on-separate-drives?view=sql-server-2017>

---

### QUESTION 2

You are developing a SQL Server Integration Services (SSIS) package that loads data from a source transactional tables in a data warehouse.

You discover that one of the data flows loads incorrect data to one of the destination tables.

You need to identify the cause of the incorrect data flow. Which tool should you use?

A. SSIS logging.

B. a breakpoint

C. a data viewer

D. the locals window.



Correct Answer: C

### QUESTION 3

DRAG DPOP

You have a database named OnlineSales that contains a table named Customers. You plan to copy incremental changes from the Customerstable to a data warehouse every hour.

You need to enable change tracking for the Customerstable.

How should you complete the Transact-SQL statements? To answer, drag the appropriate Transact-SQL segments to the correct locations. Each Transact-SQL segment may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

Select and Place:

#### Transact-SQL-segments

DATABASE [OnlineSales]	TABLE [dbo].[Customers]
CHANGE_TRACKING = ON	ENABLE CHANGE_TRACKING
SYSTEM_VERSIONING = ON	QUERY_STORE = ON
RECOVERY FULL	ENABLE_BROKER

#### Answer Area

```
ALTER [ ]
SET [ ]
(CHANGE_RETENTION = 2 DAYS, AUTO_CLEANUP = ON)
ALTER [ ]
[ ]
```

Correct Answer:

#### Transact-SQL-segments

SYSTEM_VERSIONING = ON	QUERY_STORE = ON
RECOVERY FULL	ENABLE_BROKER

#### Answer Area

```
ALTER DATABASE [OnlineSales]
SET CHANGE_TRACKING = ON
(CHANGE_RETENTION = 2 DAYS, AUTO_CLEANUP = ON)
ALTER TABLE [dbo].[Customers]
ENABLE CHANGE_TRACKING
```

Box 1: DATABASE [OnlineSales]

Before you can use change tracking, you must enable change tracking at the database level. The following example shows how to enable change tracking by using ALTER DATABASE.

```
ALTER DATABASE AdventureWorks2012
```

```
SET CHANGE_TRACKING = ON
```

```
(CHANGE_RETENTION = 2 DAYS, AUTO_CLEANUP = ON)
```

Box 2: CHANGE\_TRACKING = ON

```
ALTER SET CHANGE_RETENTION
```

Box 3: ALTER TABLE [dbo].[Customers]



Change tracking must be enabled for each table that you want tracked. When change tracking is enabled, change tracking information is maintained for all rows in the table that are affected by a DML operation.

The following example shows how to enable change tracking for a table by using ALTER TABLE.

```
ALTER TABLE Person.Contact  
  
ENABLE CHANGE_TRACKING  
  
WITH (TRACK_COLUMNS_UPDATED = ON)
```

Box 4: ENABLE CHANGE\_TRACKING

References: <https://docs.microsoft.com/en-us/sql/relational-databases/track-changes/enable-and-disable-change-tracking-sql-server>

---

#### QUESTION 4

You administer a Microsoft SQL Server Master Data Services (MDS) model. All model entity members have passed validation.

The current model version should be committed to form a record of master data that can be audited and create a new version to allow the ongoing management of the master data.

You lock the current version. You need to manage the model versions.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area, and arrange them in the correct order.

Select and Place:



### Actions

- Commit the current version.
- Set the new version status to **Open**.
- Unlock the current version.
- Unlock the new version.
- Set the current version status to **Open**.
- Create a copy of the current version.
- Validate the current version.

### Answer Area



Correct Answer:



## Actions

Set the new version status to **Open**.

Unlock the current version.

Unlock the new version.

Set the current version status to **Open**.

## Answer Area

Validate the current version.

Commit the current version.

Create a copy of the current version.



Box 1: Validate the current version.

In Master Data Services, validate a version to apply business rules to all members in the model version.

You can validate a version after it has been locked.

Box 2: Commit the current version.

In Master Data Services, commit a version of a model to prevent changes to the model's members and their attributes. Committed versions cannot be unlocked.

Prerequisites:

Box 3: Create a copy of the current version.

In Master Data Services, copy a version of the model to create a new version of it.

## QUESTION 5

A SQL Server Integration Services (SSIS) package is designed to download data from a financial database hosted in SQL Azure.


The connection string to the financial database is defined as a project parameter named FinConStr. The parameter value must be stored securely and must be set explicitly every time the package is executed.




You need to configure the parameter to meet the requirements.

What should you do? (To answer, configure the appropriate option or options in the dialog box in the answer area.)

Hot Area:



Correct Answer:





To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

## Try our product !

100% Guaranteed Success  
100% Money Back Guarantee  
365 Days Free Update  
Instant Download After Purchase  
24x7 Customer Support  
Average 99.9% Success Rate  
More than 800,000 Satisfied Customers Worldwide  
Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.passapply.com/allproducts>

## Need Help

Please provide as much detail as possible so we can best assist you.  
To update a previously submitted ticket:



 <p><b>One Year Free Update</b> Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p><b>Money Back Guarantee</b> To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p><b>Security &amp; Privacy</b> We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information &amp; peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.  
All trademarks are the property of their respective owners.  
Copyright © passapply, All Rights Reserved.