700-905^{Q&As}

700-905^{Q&As}

Cisco HyperFlex for Systems Engineers

Pass Cisco 700-905 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/700-905.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

SATISFACTION GUARANTEED
100%
SATISFACTION GUARANTEED

QUESTION 1

What is required to cluster a pair of Fabric Interconnects?

A. uplink connections to the enterprise network

B. HXDP 3.5.2 or better

C. connection between the FI pair using ports L1 and L2

D. UCS Manager 2.1 or better

Correct Answer: C

QUESTION 2

Which two processes does Disk Failure initiate? (Choose two)

A. The affected cluster is marked as unhealthy and placed into standby mode

B. If the replication factor is sufficient for the failure, the system is marked as unhealthy but remains operational

C. Distributed pooled data is migrated off nodes to master data store.

D. Performance is almost unaffected Sets 1-minute timer until self-healing starts.

E. Self-healing mode is initiated and data replication factors applied.

Correct Answer: BD

QUESTION 3

Which two steps should be performed before installing HyperFlex? (Choose two.)

A. Determine and download recommended hypervisor

B. Determine and download recommended VCenter required

C. Download service profile templates

D. Determine and download recommended UCS firmware required.

E. Determine and download virtual machine OS\\' required.

Correct Answer: AD

QUESTION 4

Which two features enable RAID cards striping as well as mirroring and parity? (Choose two.)

A. Integration with Cisco Intersight for a cloud-based storage management solution.

B. No load on the system resources, drives seem as one drive to the operating system

C. On RAID card failure, the RAID onboard concurrent cache assists rebuild cache.

D. Hot replacement of drives available, depending on configuration

E. Distributed drives across disparate systems can be in RAID together.

Correct Answer: BD

QUESTION 5

Refer to the exhibit.

Which VIC model supports two wire connectivity to each Fabric Interconnect?

A. VIC 1227

B. VIC 1557

C. VIC 1387

D. VIC 1457

Correct Answer: A