



7004.1^{Q&As}

Avaya Communication Server 1000 for Avaya Aura® Maintenance Exam

Pass Avaya 7004.1 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/7004-1.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Avaya Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Click the Exhibit button.

A customer has a Communication Server 1000RIs. 7 x system. Telephone users are required to use Basic Alternate Route Selection (BARS) to make toll calls.

What Class of Service (CLS) adjustment must you make telephone in order to allow the system to use the telephone network class of service (NCOS) to determine call eligibility?

- A. change the CLS entrySRE to CTD
- B. change the CLS entrySRE to FR2
- C. change the CLS entrySRE to CUN
- D. change the CLS entry SRE to UNR

Correct Answer: D

QUESTION 2

Click the Exhibit button.

Roles
User Roles provide group-level authentication functions and element permissions. Users with a given role may only perform functions that are authorized for that role.

Buttons: Add, Delete, Refresh

Role ID	Role Name	Count	Permissions	Role Name
6	MemberRegistrar	0	All elements of type: IPsec Manager All elements of type: Linux Base	Member Registrar Role
7	NetworkAdministrator	1	All elements of type: Base OS All elements of type: CS1000 All elements of type: CS1000 Bridge All elements of type: CallPilot Messaging All elements of type: Deployment Manager All elements of type: Hyperlink All elements of type: IPsec Manager All elements of type: Linux Base All elements of type: Non CS1000 Manual Device All elements of type: Network Routing Service All elements of type: Numbering Groups All elements of type: IM Presence All elements of type: Patching Manager All elements of type: Secure FTP Token Manager All elements of type: Somp Manager All elements of type: Subscriber Manager	Network Administrator Role
8	Patcher	0	All elements of type: Linux Base All elements of type: Patching Manager	Patcher/PDT Role



A customer has a Communication Server 1000 RIs. 7 x system with System Manger / Unified Management (UCM) enabled. They have requested the addition of two new UCM Administrator User with the limited ability to provision telephones at each site. Refer to the exhibit for the roles current existing in the system.

Which action can the Network Administrator take to add these new accounts per the customer's requirements?

- A. Change the built-in MemberRegister role to add the permissions required to allow telephone configuration.
- B. Assign the new users to the built-in NetworkAdministrator role because it has the permissions that allow telephone configuration.
- C. Change the built-in role Patcherrole to remove all permissions except those that allow telephone configuration.
- D. Add a new TelephonyAdmin role with the specific permissions required to allow telephone configuration.

Correct Answer: D

QUESTION 3

You are configuring a bandwidth management zone on a Communication Server 1000 RIs. 7 x Call Server.

The Call Server zones will be used for interface communications between endpoints (IP telephones and gateways).

Which is the preferred bandwidth management strategy, assuming the network has adequate bandwidth?

- A. Best Quality (BQ)
- B. Best Bandwidth (BB)
- C. Allocated Bandwidth (AB)
- D. Best Effort (BE)

Correct Answer: A

QUESTION 4

You are responsible for maintaining the Communication Server (CS) 1000E release 7 x system installed at your customer's district office. They would like to use Corporate Directory Feature are accurate? (Choose two)


- A. The Corporate Directory application obtains information directly from the CS 1000 database to create the Corporate Directory Report File.
- B. The Corporate Directory application obtains information Subscriber and Telephony account information from SubscriberManger and compiles it into a Corporate Directory Report File.
- C. All information files required for generating Corporate Directory must be published in the LDAP directory.
- D. All information files required for generating Corporate Directory must be published in the Common Network Directory (CND).



Correct Answer: BD

QUESTION 5

Click the Exhibit button.



You are asked to review the existing route information for the customer. According to the printout shown in the exhibit, which type of route is this?

- A. a directinward dialroute
- B. amedia services route
- C. an integrated services digital network route
- D. an incoming only route

Correct Answer: A

[7004.1 PDF Dumps](#)

[7004.1 VCE Dumps](#)

[7004.1 Study Guide](#)