



# 71200X<sup>Q&As</sup>

Avaya Aura Core Components Integration Exam

**Pass Avaya 71200X Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/71200x.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Avaya  
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





### QUESTION 1

What can be done from the Session Manager Dashboard in Avaya Aura System Manager?

- A. Select each administered SM for each SIP-User
- B. Get information status and health summary of each administered SM
- C. Administer (create new user) each administered SM
- D. Import data (synchronized) from each administered the SM

Correct Answer: B

---

### QUESTION 2

When creating a H.323 Trunk Group, in the Avaya Aura Communication Manager trunk group SAT form, what do you set as the "Group Type" field?

- A. H.323
- B. SIP
- C. IP
- D. ISDN

Correct Answer: D

---

### QUESTION 3

Which three Interfaces can be used to add, change, and remove a Communication Manager (CM) H 323 Endpoint? (Choose three.)

- A. Linux Command Line at CM Server.
- B. "Communication Manager" Administration menu at Avaya Aura System Manager (SMGR).
- C. Avaya Site Administration Terminal Emulation.
- D. SMI Web-Interface at CM Server.
- E. SAT terminal via SSH-session (for example, Putty).

Correct Answer: BCE

---



#### QUESTION 4

you are creating an OPTION trunk between Avaya Aura Session manager (SM) and Avaya Aura Communication Manager (CM) to separate the SIP traffic for your Advanced SIP Telephone (AST) users.

How would you create a second SIP Trunk between SM and CM, when you already have an existing SIP trunk between these two entities for regular traffic?

- A. A second link should not be created as OPTIM traffic must be sent down the existing SIP link.
- B. Assign secondary IP addresses for both SM and CM to create a second SIP link between.
- C. Create an additional SIP Entity, SIP Entity Link and CM Signaling/Trunk Group using an alternate TLS port (such as 5062).
- D. Specify a new Entity Link on the existing CM SIP Entity but using UDP instead of TLS as the Transport Protocol.

Correct Answer: C

---

#### QUESTION 5

From within Avaya Aura System Manager (5MGR), which task can you perform from the Avaya Aura Session Manager (SM) Dashboard?

- A. Select the Primary and Secondary SM for each SIP user.
- B. Obtain the status and health summary of each administered SM.
- C. Create new users each administered SM.
- D. Synchronize data from each SM with the Avaya Aura Communication Manager (CM).

Correct Answer: B

[Latest 71200X Dumps](#)

[71200X Study Guide](#)

[71200X Braindumps](#)