



7492X^{Q&As}

Avaya Aura® Call Center Elite Support Exam

Pass Avaya 7492X Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/7492x.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Avaya
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A customer wants to use the TTrace application on their desktop to monitor remote servers. Is this possible?

- A. Yes, the customer can use the TTrace Server, the configuration should be installed on the server and the TTrace console on the client desktop
- B. Yes, the customer can use their desktop to monitor the call center server after they install the TTrace tool on their desktop
- C. No, the customer must use the TTrace application from another server
- D. No, the customer must use the TTrace application on the server where it is running

Correct Answer: B

QUESTION 2

A customer wants to configure their call center for emergencies. What action would you advise the call center supervisor to use to configure an alternate call path in case of a disaster?

- A. Set a value variable and change the value assigned using a feature access code
- B. Set a trunk group and change the trunk number using a variable
- C. Set a vector directory number with a collect-type variable
- D. Set a feature access code that detects a power outage and reroutes calls automatically

Correct Answer: D

QUESTION 3

What are the three consideration requirements for the deployment of Network Call Deflection? (Choose

- A. The second leg of the call is set up by the redirecting Communication Manager.
- B. Network Call Deflection is only available In Europe and must be compliant with ETSI Supplementary Service Network Call Deflection.
- C. Announcement, collect digits, converse-on, wait for hearing music, wait for the hearing announcement, ringback, or silence cannot be used for NCD.
- D. NCD by the PSTN can occur only if the incoming call to the Avaya Aura Communication Manager is not answered.
- E. A route-to-number r 13035485103 must be used in vector step processing and Net Redir=y in the BSR Application plan.

Correct Answer: ACE



QUESTION 4

A customer using the TTrace tool wants the TTrace system to send an email when the system logs a particular type of alarm on the TTrace server.

Which TTrace tool will accomplish this?

- A. TTrace Config
- B. TTrace Server
- C. TTrace Console
- D. TTrace Log2Zip

Correct Answer: A

QUESTION 5

In which document can the events table be found?

- A. Troubleshooting Avaya Aura Call Center Elite
- B. Programming Call Vectoring Features in Avaya Aura Call Center Elite
- C. Administrator Guide for Avaya Communication Manager
- D. Feature Description and Implementation for Avaya Communication Manager

Correct Answer: C

[7492X PDF Dumps](#)

[7492X Practice Test](#)

[7492X Braindumps](#)