



76940X^{Q&As}

Avaya Converged Platform Support

Pass Avaya 76940X Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/76940x.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Avaya
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A support engineer is upgrading a PodFX 3.1 system to ACP 4200 4.0. The engineer is upgrading the ESXi hosts to VMware ESXi 6.5.

Which two statements about this upgrade process are true? (Choose two.)

- A. ESXi hosts are upgraded all at the same time.
- B. ESXi hosts are upgraded one after another.
- C. One baseline group must be created using vSphere Update Manager to be used for all ESXi hosts.
- D. Separate baseline groups must be created using vSphere Update Manager for each individual ESXi host.

Correct Answer: AC

QUESTION 2

Which key consideration is critical when upgrading an application in your ACP 4200 system?

- A. Ensuring that the application server is able to contact <http://support.avaya.com>
- B. Validating the customer lifecycle workbook information and updating any undocumented changes that were made
- C. Ensuring that you have the latest VSP software installed
- D. Checking the IP Template for the application information and updating it with any changes made to the application

Correct Answer: C

QUESTION 3

A support engineer is experiencing some difficulty correlating the error messages and logs from different systems in the ACP 4200.

What should the engineer do to fix this problem?

- A. Use the VMware integrated time server to supply time to all systems.
- B. Manually synchronize the time on all the ACP systems to a correct vCenter.
- C. Use the MSC NTP service tied to external NTP time servers to synchronize the time on all systems.
- D. The VSP switches have NTP servers built into them, and all other systems can use NTP to synchronize to them.

Correct Answer: B

QUESTION 4



Which statement about the LifeCycle Manage Workbook (LCM) and any time there is a change made to the ACP 4200 implementation is true?

- A. The LCM only needs to be updated when hardware devices are changed.
- B. Retrieve the LCM from ACP 4200 support prior to making any changes.
- C. The LCM is only needed when receiving the ACP 4200.
- D. Update the LCM with all changes and submit it via email to podfxsupport@avaya.com.

Correct Answer: D

QUESTION 5

A customer called saying vMotion is not working as expected.

To determine the issue, what is the first thing you would try?

- A. Check all physical wiring.
- B. From one of the Hosts, try to ping the vMotion VMKernel of the "Destination" Host.
- C. Place both hosts in maintenance mode, then restart once completed.
- D. Shut down and restart both hosts.

Correct Answer: D

[76940X VCE Dumps](#)

[76940X Practice Test](#)

[76940X Braindumps](#)