



76940X^{Q&As}

Avaya Converged Platform Support

Pass Avaya 76940X Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/76940x.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Avaya
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which feature in Avaya Orchestrator allows a support engineer to select the management protocols and credentials of the equipment that is to be monitored within the ACP 4200?

- A. Monitoring Setup
- B. Orchestrator Security Center
- C. Device and Credentials Editor
- D. ACP Configuration Wizard

Correct Answer: D

QUESTION 2

Which statement about the LifeCycle Manage Workbook (LCM) and any time there is a change made to the ACP 4200 implementation is true?

- A. The LCM only needs to be updated when hardware devices are changed.
- B. Retrieve the LCM from ACP 4200 support prior to making any changes.
- C. The LCM is only needed when receiving the ACP 4200.
- D. Update the LCM with all changes and submit it via email to podfxsupport@avaya.com.

Correct Answer: D

QUESTION 3

Service warning alarms are being received by Orchestrator indicating that Port 27 on VSP 4850-1 is down.

How would a support engineer determine the equipment that is connected to this port?

- A. Network Diagram in the Lifecycle Workbook
- B. Switch Wiring tab in the Lifecycle Workbook
- C. ACP Installation Guide
- D. Physical inspection

Correct Answer: D

QUESTION 4

Before starting the vCenter Server Appliance from 6.0 to 6.5, which Cluster feature needs to be disabled?



- A. vSphere HA
- B. vSphere DRS
- C. vSphere vMotion
- D. vSphere HA heartbeat datastore

Correct Answer: B

QUESTION 5

When performing a BIOS or firmware upgrade on physical host servers, why is it important to have vSphere access?

- A. The VMs must be restarted before the upgrade process.
- B. vSphere is needed to shut down the physical server.
- C. VMs must be shut down before the process.
- D. The server must be placed in maintenance mode before the upgrade.

Correct Answer: C

[76940X VCE Dumps](#)

[76940X Practice Test](#)

[76940X Exam Questions](#)