



98-366^{Q&As}

Networking Fundamentals

Pass Microsoft 98-366 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/98-366.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What is a similarity between Layer 2 and Layer 3 switches?

- A. Both provide a high level of security to the network.
- B. Both use logical addressing to forward transmissions.
- C. Both forward packets onto the network.
- D. Both allow the implementation of VLANs.

Correct Answer: D

A single layer-2 network may be partitioned to create multiple distinct broadcast domains, which are mutually isolated so that packets can only pass between them via one or more routers; such a domain is referred to as a virtual local area network, virtual LAN or VLAN.

LANs are layer 2 constructs, so they can be supported by both Layer 2 and Layer 3 switches.

Incorrect:

Not A: Layer 2 switches do not provide high level of security.

Not B: Another name for logical address is IP address. Only Layer 3 switches uses IP address. Layer 2 switches uses MAC addresses.

Not C: only Layer 3 switches forward packets on the network (like routers).

QUESTION 2

What is the bit rate for a North American T3 circuit?

- A. 6.312 Mbit/s
- B. 44.736 Mbit/s
- C. 274.176 Mbit/s
- D. 400.352 Mbit/s

Correct Answer: B

Data Rates. DS3/T3 = 44.7 Mbps

QUESTION 3

For each of the following statements, select Yes if the statement is true. Otherwise, select No. Each correct selection is worth one point.



Hot Area:

Answer Area

	Yes	No
HTTP, TELNET, FTP, and SMTP protocols operate on Layer 7 of the OSI model.	<input type="checkbox"/>	<input type="checkbox"/>
Layer 4 of the OSI model controls dialogue between computers.	<input type="checkbox"/>	<input type="checkbox"/>
Layer 3 of the OSI model controls routing between network devices.	<input type="checkbox"/>	<input type="checkbox"/>

Correct Answer:


Answer Area

	Yes	No
HTTP, TELNET, FTP, and SMTP protocols operate on Layer 7 of the OSI model.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Layer 4 of the OSI model controls dialogue between computers.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Layer 3 of the OSI model controls routing between network devices.	<input checked="" type="checkbox"/>	<input type="checkbox"/>


QUESTION 4

Where in the diagram is a T3 connection possible? (To answer, select the appropriate connection in the diagram in the answer area.)

Hot Area:



Correct Answer:



QUESTION 5

Attenuation in a wireless network signal is a result of:

- A. Number of wireless nodes connected.
- B. Distance from the access point.
- C. Interference from cellular phones.
- D. Encryption of the signal.

Correct Answer: B

Solid objects greatly attenuate (reduce) Wi-Fi radio signals, so clear line of sight is best.

[Latest 98-366 Dumps](#)

[98-366 VCE Dumps](#)

[98-366 Study Guide](#)