



98-382^{Q&As}

Introduction to Programming Using JavaScript

Pass Microsoft 98-382 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/98-382.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

HOTSPOT

You are creating JavaScript code that manipulates dates. You want to initialize a Date object with the date January 1, 2017 by using the year, month, and date parameters.

How should you complete the code? To answer, select the appropriate code segment in the answer area.

Hot Area:

Answer Area

```
var date = new Date(
```

17	,	0	,	0);
2017		1		1	
		Jan			
		January			

Correct Answer:

Answer Area

```
var date = new Date(
```

17	,	0	,	0);
2017		1		1	
		Jan			
		January			

References: https://www.w3schools.com/js/js_dates.asp

QUESTION 2

HOTSPOT

You work as a JavaScript developer for Adventure Works. You are writing a simple script that performs the following actions: Declares and initializes an array Fills the array with 10 random integers Adds every other number starting with the first element

How should you complete the code? To answer, select the appropriate code segments in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:



Answer Area

```
var numbers = 

|     |   |
|-----|---|
|     | ▼ |
| 0   |   |
| {}  |   |
| []  |   |
| ... |   |

  
for (var i = 0; i < 10; i++) {  
  numbers.

|        |   |
|--------|---|
|        | ▼ |
| pop    |   |
| push   |   |
| sort   |   |
| splice |   |

 (Math.round(Math.abs(Math.random() * 10)));  
}  
var sum = 0;  
  
for (var j = 0; j < 10; j = 

|     |   |
|-----|---|
|     | ▼ |
| j++ |   |
| j+1 |   |
| j+2 |   |
| j-- |   |

) {  
  
  sum += 

|            |   |
|------------|---|
|            | ▼ |
| sum[j]     |   |
| numbers[j] |   |
| numbers(j) |   |
| array[j]   |   |


;  
}  
  
console.log(sum);
```


Correct Answer:





Answer Area

```

var numbers = 

for (var i = 0; i < 10; i++) {
  numbers. (Math.round(Math.abs(Math.random() * 10)));
}
var sum = 0;

for (var j = 0; j < 10; j =  ) {

  sum +=  ;

  console.log(sum);
}

```

References: https://www.w3schools.com/jsref/jsref_push.asp https://www.w3schools.com/js/js_arrays.asp
<https://stackoverflow.com/questions/9813573/how-to-perform-a-sum-of-an-int-array>

QUESTION 3

DRAG DROP You are creating a web page with a script. The script will insert the window's location inside the page's input element. How should you complete the code? To answer, drag the appropriate code segment to the correct locations. Each code segment may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to

view content.

Select and Place:



Code Segments

- window
- location
- document
- getElementById

Answer Area

```
<!DOCTYPE html>
<html>
<body>
  <input id="url" type="input" />
  <script>
    [ ] . [ ] ("url").value = [ ] . [ ] .href;
  </script>
</body>
</html>
```

Correct Answer:

Code Segments

- []
- []
- []
- []

Answer Area

```
<!DOCTYPE html>
<html>
<body>
  <input id="url" type="input" />
  <script>
    document . getElementById ("url").value = window . location .href;
  </script>
</body>
</html>
```

References: https://www.w3schools.com/js/js_window_location.asp

QUESTION 4

DRAG DROP

You are developing a web page that uses JavaScript. The script needs to display information to the user using a popup box.

Match each function that displays a popup box with its appropriate scenario.

To answer, drag the appropriate function from the column on the left to its appropriate scenario on the right. Each function may be used once, more than once, or not at all.

NOTE: Each correct selection is worth one point.

Select and Place:

Function

- alert
- confirm
- prompt

Answer Area

- [] Display a dialog box that allows the user to enter a street address.
- [] Display an error message using a function that does not return a value.
- [] Display a dialog box and return a value indicating which button the user clicked.

Correct Answer:



Function	Answer Area						
<input type="text"/>	<table border="1"> <tr> <td>prompt</td> <td>Display a dialog box that allows the user to enter a street address.</td> </tr> <tr> <td>alert</td> <td>Display an error message using a function that does not return a value.</td> </tr> <tr> <td>confirm</td> <td>Display a dialog box and return a value indicating which button the user clicked.</td> </tr> </table>	prompt	Display a dialog box that allows the user to enter a street address.	alert	Display an error message using a function that does not return a value.	confirm	Display a dialog box and return a value indicating which button the user clicked.
prompt	Display a dialog box that allows the user to enter a street address.						
alert	Display an error message using a function that does not return a value.						
confirm	Display a dialog box and return a value indicating which button the user clicked.						

References: https://www.w3schools.com/js/js_popup.asp

QUESTION 5

DRAG DROP

You are creating a web page that tests a user's ability to accurately type text. The validation should be case-insensitive.

How should you complete the code? To answer, drag appropriate functions to the correct locations. Each function may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

Select and Place:

Code Segments	Answer Area
<input type="text" value="value"/> <input type="text" value="innerHTML"/> <input type="text" value="toLowerCase()"/>	<pre> <!DOCTYPE html> <html> <head> <script> function validate() { var input = document.getElementById("tester"). <input type="text"/> ; var text = document.getElementById("userText"). <input type="text"/> ; if(input. <input type="text"/> == text. <input type="text"/>) { alert("Success"); } } </script> </head> <body> <p id="userText">When in the course of human events...</p> <input type="input" id="tester"; /> <button onclick="validate()">Validate</button> </body> </html> </pre>

Correct Answer:



Code Segments

- value
- innerHTML
- toLowerCase()

Answer Area

```
<!DOCTYPE html>
<html>
<head>
  <script>
    function validate() {
      var input = document.getElementById("tester"). value ;
      var text = document.getElementById("userText"). innerHTML ;
      if(input. value == text. innerHTML )
      {
        alert("Success");
      }
    }
  </script>
</head>
<body>
  <p id="userText">When in the course of human events...</p>
  <input type="input" id="tester"; />
  <button onclick="validate()">Validate</button>
</body>
</html>
```

References: https://www.w3schools.com/jsref/prop_text_value.asp

[Latest 98-382 Dumps](#)

[98-382 VCE Dumps](#)

[98-382 Braindumps](#)