



98-388^{Q&As}

Introduction to Programming Using Java

Pass Microsoft 98-388 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/98-388.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

HOTSPOT

You are interviewing for a job as a Java developer. You need to evaluate the following code. Line numbers are included for reference only.

```
01 String s1 = "Hello world";  
02 String s2 = "Hello world";  
03 String s3 = s2;  
04  
05
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

	Yes	No
<input type="checkbox"/> s1 and s2 refer to the same object in memory.	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> s2 and s3 refer to the same object in memory.	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> A different string can be assigned to s1 on line 04.	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> A different string can be assigned to s2 on line 05.	<input type="checkbox"/>	<input type="checkbox"/>

Correct Answer:

Answer Area

	Yes	No
<input checked="" type="checkbox"/> s1 and s2 refer to the same object in memory.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> s2 and s3 refer to the same object in memory.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> A different string can be assigned to s1 on line 04.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/> A different string can be assigned to s2 on line 05.	<input type="checkbox"/>	<input checked="" type="checkbox"/>

References: https://www.tutorialspoint.com/java/java_strings.htm



QUESTION 2

DRAG DROP

You attend an interview for a job as a Java programmer.

You need to declare a two by three array of the double type with initial values.

How should you complete the code? To answer, drag the appropriate code segment to the correct location. Each code segment may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to

view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Code Segments

[[]];
][{{
}};	}{
},{],[

Answer Area

```
double[][] maxArray = [ ] 0.77,3.4,55 [ ] 2.2,.045,2 [ ]
```

Correct Answer:

Code Segments

[[]];
][
	}{
],[

Answer Area

```
double[][] maxArray = {{ 0.77,3.4,55 },{ 2.2,.045,2 }};
```

QUESTION 3

HOTSPOT



You work on a team that develops e-commerce applications. A member of the team creates a class named DB that connects to a database. The class contains a method named query.

You need to initiate the DB class and invoke the query method.

How should you complete the code? To answer, select the appropriate code segments in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

DB db = ;

DB()
new DB
new DB()

;

db.query()
DB.query
query()

Correct Answer:



Answer Area

DB db = ;

DB()
new DB
new DB()

;

db.query()
DB.query
query()

References: <https://docs.oracle.com/javase/8/docs/api/java/lang/reflect/Method.html#invoke-java.lang.Object-java.lang.Object...>

QUESTION 4

HOTSPOT

You need to evaluate the following code. Line numbers are included for reference only.

```
01 public static int fee(char model) {  
02     int price = 0;  
03     switch (model) {  
04         case 'A':  
05             price = 50;  
06             break;  
07         case 'T':  
08             price = 20;  
09         case 'C':  
10             price = 5;  
11             break;  
12         default:  
13             price = 100;  
14             break;  
15     }  
16     return price;  
17 }
```

Use the drop-down menus to select the answer choice that answers each question based on the information presented in the code. NOTE: Each correct selection is worth one point.

Hot Area:



Answer Area

What is the return value when `mode1` has a value of 'A'?

	▼
5	
20	
50	
100	

What is the return value when `mode1` has a value of 'T'?

	▼
5	
20	
50	
100	

What is the return value when `mode1` has a value of 'c'?

	▼
5	
20	
50	
100	

What is the return value when `mode1` has any other value?

	▼
5	
20	
50	
100	

Correct Answer:



Answer Area

What is the return value when `mode1` has a value of 'A'?

	▼
5	
20	
50	
100	

What is the return value when `mode1` has a value of 'T'?

	▼
5	
20	
50	
100	

What is the return value when `mode1` has a value of 'c'?

	▼
5	
20	
50	
100	

What is the return value when `mode1` has any other value?

	▼
5	
20	
50	
100	

QUESTION 5

HOTSPOT

You need to evaluate the following code segment. Line numbers are included for reference only.

```
01 int a = 5;  
02 int b = 10;  
03 int c = ++a * b--;  
04 System.out.println(c);  
05 int d = a-- + ++b;  
06 System.out.println(d);
```

Use the drop-down menus to select the answer choice that answers each question based on the information presented in the code. NOTE: Each correct selection is worth one point.

Hot Area:



Answer Area

What is the output of line 04?

	▼
15	
45	
50	
54	
60	

What is the output of line 06?

	▼
13	
14	
15	
16	

Correct Answer:

Answer Area

What is the output of line 04?

	▼
15	
45	
50	
54	
60	

What is the output of line 06?

	▼
13	
14	
15	
16	

[Latest 98-388 Dumps](#)

[98-388 VCE Dumps](#)

[98-388 Study Guide](#)