



98-388^{Q&As}

Introduction to Programming Using Java

Pass Microsoft 98-388 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/98-388.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

HOTSPOT

You are creating a method that processes invoices. The invoices are contained in an ArrayList instance. After each invoice is processed, the method must remove the invoice from the ArrayList instance.

How should you complete the code? To answer, select the appropriate code segments in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

```
public static void Process(ArrayList<String> invoices)
{
    for (int i = ; i < invoices.; 
```

Correct Answer:

Answer Area

```
public static void Process(ArrayList<String> invoices)
{
    for (int i = ; i < invoices.; 
```

References: <https://beginnersbook.com/2013/12/java-arraylist/>



QUESTION 2

HOTSPOT

You are creating a method that converts a string representation of a number into an actual number.

The numbers passed into the method include whole numbers and fractional numbers.

How should you complete the code? To answer, select the appropriate code segments in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

```
public void convertStringToNumber(String numberAsString)
{
    [ ] number = [ ] . [ ] (numberAsString);

    System.out.println(number);
}
```

The answer area contains three dropdown menus for the code completion. The first dropdown menu has options: double, Integer, String. The second dropdown menu has options: Double, double, Integer, String. The third dropdown menu has options: format, parseDouble, parseInt.

Correct Answer:

Answer Area

```
public void convertStringToNumber(String numberAsString)
{
    [ ] number = [ ] . [ ] (numberAsString);

    System.out.println(number);
}
```

The answer area contains three dropdown menus for the code completion. The first dropdown menu has options: double, Integer, String. The second dropdown menu has options: Double, double, Integer, String. The third dropdown menu has options: format, parseDouble, parseInt. The correct answer is String, double, and parseInt.

References: <https://docs.oracle.com/javase/tutorial/java/data/converting.html>

QUESTION 3



HOTSPOT

You are interviewing for a job as a Java developer.

You are presented with the following code. Line numbers are included for reference only.

```
01 char data1 = 65;  
02 System.out.println(data1);  
03  
04 long data2 = 65;  
05 System.out.println(data2);  
06  
07 float data3 = new Float("-65.0");  
08 System.out.println(data3);  
09  
10 short data4 = new Short("65.0");  
11 System.out.println(data4);
```

You need to evaluate what happens when the code runs.

Use the drop-down menus to select the answer choice that answers each question based on the information presented in the code.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

What happens when lines 01 and 02 are run?

	▼
The number 65 is displayed.	
The letter 'A' is displayed.	
An exception is thrown.	

What happens when lines 04 and 05 are run?

	▼
The number 65 is displayed.	
The number 65.0 is displayed.	
An exception is thrown.	

What happens when lines 07 and 08 are run?

	▼
The number -65 is displayed.	
The number -65.0 is displayed.	
An exception is thrown.	

What happens when lines 10 and 11 are run?

	▼
The number 65 is displayed.	
The number 65.0 is displayed.	
An exception is thrown.	

Correct Answer:



Answer Area

What happens when lines 01 and 02 are run?

The number 65 is displayed.
The letter 'A' is displayed.
An exception is thrown.

What happens when lines 04 and 05 are run?

The number 65 is displayed.
The number 65.0 is displayed.
An exception is thrown.

What happens when lines 07 and 08 are run?

The number -65 is displayed.
The number -65.0 is displayed.
An exception is thrown.

What happens when lines 10 and 11 are run?

The number 65 is displayed.
The number 65.0 is displayed.
An exception is thrown.

QUESTION 4

DRAG DROP

You are writing a Java method.

The program must meet the following requirements:

Accept a String parameter firstName

Display a welcome message that contains firstName

Ensure that the first letter of the name is capitalized, and the remaining letters are in lowercase

How should you complete the code? To answer, drag the appropriate code segment to the correct position. Each code segment may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to

view content.

NOTE: Each correct selection is worth one point.

Select and Place:



Code Segments

charAt	substring
toLowerCase	toUpperCase

Answer Area

```
public String showGreeting(String firstName)
{
    String welcomeMsg = "Welcome, ";
    welcomeMsg += firstName. (0, 1). ( ) +
    firstName. (1). ( );
    return welcomeMsg;
}
```

Correct Answer:

Code Segments

Answer Area

```
public String showGreeting(String firstName)
{
    String welcomeMsg = "Welcome, ";
    welcomeMsg += firstName.charAt (0, 1). substring ( ) +
    firstName. toUpperCase (1). toLowerCase ( );
    return welcomeMsg;
}
```

QUESTION 5

DRAG DROP

You have a Java class named InsurancePolicy.

You need to define a constant data member named RATE. The data member must be accessible by any class without instantiating the InsurancePolicy class.

How should you complete the code? To answer, drag the appropriate code segment to the correct position. Each code segment may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to

view content.

NOTE: Each correct selection is worth one point.

Select and Place:



Code Segments

final	finally
private	protected
public	static
super	void

Answer Area

```
public class InsurancePolicy
{
    [ ] [ ] [ ] double RATE = .0642;
}
```

Correct Answer:

Code Segments

	finally
private	protected
super	void

Answer Area

```
public class InsurancePolicy
{
    public static final double RATE = .0642;
}
```

References: <https://docs.oracle.com/javase/tutorial/java/javaOO/classvars.html>

[98-388 VCE Dumps](#)

[98-388 Study Guide](#)

[98-388 Braindumps](#)