



9A0-385^{Q&As}

Adobe Experience Manager 6.0 Architect Exam

Pass Adobe 9A0-385 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/9a0-385.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Adobe
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A company's news media website becomes unresponsive during an off-peak time. The AEM team investigates and identifies a DoS (Denial of Service) attack.

Which two security measures should the architect use to reduce the chances of another attack? (Choose two.)

- A. Change the passwords for default out-of-the box users (admin, author)
- B. Uninstall all sample content and users that ship out of the box with AEM
- C. Disable the default selectors .feed.xml and .infinity.json
- D. Implement a Dispatcher filter to allow only known selectors

Correct Answer: CD

QUESTION 2

A small public sector organization needs help planning the architectural design of its AEM system. The reorganization's few staff members resist learning new technologies.

What is the most important factor for the architect to consider while planning the system design?

- A. Performance
- B. Usability
- C. High Availability
- D. Extensibility
- E. Low Maintenance

Correct Answer: C

QUESTION 3

An architect must use metrics from a client's existing CMS environments. Which metric is LEAST valuable?

- A. CMS storage requirements
- B. Average daily requests of users visiting the site
- C. CPU clock speed of the servers
- D. Percentage of requests offloaded by the CDN

Correct Answer: A

QUESTION 4



A large telecommunications company is leveraging the capability of AEM to integrate with SAML.

The architect must configure the SAML Authentication Handler. By default the SAML 2.0 Authentication handler is disabled.

Which two OSGi configuration properties must the architect set to enable the SAML 2.0 Authentication handler? (Choose two.)

- A. The public certificate of the identity provider
- B. The identity provider POST URL
- C. The Service Provide Entity ID
- D. The Service Ranking

Correct Answer: BC

QUESTION 5

Which two requirements typically involve integration with a third-party service?

- A. Approval Workflow
- B. Federated Authentication
- C. Coordinate-Based Store Locator
- D. Watermarked Image Generation

Correct Answer: BD

[9A0-385 Practice Test](#)

[9A0-385 Study Guide](#)

[9A0-385 Braindumps](#)