



9A0-389^{Q&As}

Adobe Campaign Developer

Pass Adobe 9A0-389 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/9a0-389.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Adobe
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

There is an import workflow and an aggregates workflow. The aggregates need to be recalculated every time new data is imported.

Which should you use as the first activity of the aggregates workflow?

- A. A JavaScript activity that contains the OnReceiveEvent method.
- B. A Scheduler activity that runs every 5 minutes.
- C. A Signal activity that is called from a PostEvent method.
- D. A Jump that is called from another Jump.

Correct Answer: B

QUESTION 2

Workflows are NOT executing anymore. Which module is the root cause for this problem?

- A. runwf
- B. mta
- C. watchdog
- D. wfserver

Correct Answer: A

Reference: <https://docs.campaign.adobe.com/doc/archives/en/610/workflow-v6.1-en.pdf>

QUESTION 3

You create a new operator in Adobe Campaign. You decide the operator will NOT need access to the system via the rich client console.

Which statement is true when rich client access is forbidden?

- A. The operator cannot login via the rich client but has web access and is authorized to make API requests
- B. The operator can only access the system through SSH
- C. The operator cannot login via the rich client or make API requests but will have web access
- D. The operator cannot login via the rich client and has to access all functionality through a web interface

Correct Answer: D




Reference: https://docs.campaign.adobe.com/doc/AC6.1/en/INS_Overview_General_architecture.html

QUESTION 4

A new schema is defined. This error appears when the schema is saved. What is the reason for this error?

```
<srcSchema name="prospect namespace="demo"/>
  <element name="prospect">
    <key name="email">
      <keyfield xpath="@email"/>
    </key>
    <compute-string expr="@lastName + [location/@zipCode]"/>
    <attribute length="50" name="email" type="string"/>
    <attribute length="20" name="lastName" type="string"/>
    <attribute length="20" name="firstName" type="string"/>
    <attribute name="zipCode" type="short"/>
  </element>
</srcSchema>
```



- A. The location element is incorrect.
- B. The compute-string is incorrect.
- C. The type of the zip code attribute is incorrect.



D. The prospect does not have a zip code.

Correct Answer: C

QUESTION 5

You want to add the following new columns to the output of a direct mail file extract:

-

Firstparturl is already declared in a JavaScripts activity which will be executed before the targeting query:

```
vars.firstparturl = `http://www.amazingcompany.com/u=\`;
```

The additional column for recipient called John Doe should look like this: `http://www.amazingcompany.com/u=John-Doe`

How would you have created the expression in the query activity (Additional columns window) in order to meet the above mentioned requirement?

- A. ``vars.firstparturl\`+vars.firstName+\`-`+vars.lastName`
- B. `$(vars/@firstparturl)+@firstName+\`-`+@lastName`
- C. `$(vars.firstparturl)+firstName+\`-`+lastName`
- D. ``vars.firstparturl\`+$(vars/@firstName)+\`-`+$(vars/@lastName)`

Correct Answer: D

[9A0-389 PDF Dumps](#)

[9A0-389 Exam Questions](#)

[9A0-389 Braindumps](#)