



A00-202^{Q&As}

SAS advanced programming exam

Pass SASInstitute A00-202 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/a00-202.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SASInstitute
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which one of the following options is available for SAS macro debugging?

- A. MLOGIC
- B. MDEBUG
- C. MSGLEVEL
- D. MAUTOSOURCE

Correct Answer: A

QUESTION 2

Given the following SAS data sets ONE and TWO:

ONE TWO

YEAR QTR BUDGET YEAR QTR SALES

----- 2001 3 500 2001 4 300

2001 4 400 2002 1 600

2002 1 700

The following SAS program is submitted:

```
proc sql;
```

```
select one.*, sales
```

```
from one, two
```

```
where one.year = two.year;
```

```
quit;
```

Which one of the following reports is generated?

A. YEAR QTR BUDGET SALES

2001 4 400 300

2002 1 700 600

B. YEAR QTR BUDGET SALES

2001 3 500 .

2001 4 400 300



2002 1 700 600

C. YEAR QTR BUDGET SALES

2001 3 500 300

2001 4 400 300

2002 1 700 600

D. YEAR QTR BUDGET SALES

2001 3 500 300

2001 4 400 300

2002 1 700 300

2001 3 500 600

2001 4 400 600

2002 1 700 600

Correct Answer: C

QUESTION 3

The following SAS program is submitted: %let name = Patel\\'s Restaurant;

Which one of the following statements avoids problems associated with the unbalanced quotation mark?

A. %let name = Patel%'s Restaurant;

B. %let name = %str(Patel\\'s Restaurant);

C. %let name = Patel%str(\\')s Restaurant;

D. %let name = %str(Patel%'s Restaurant);

Correct Answer: D

QUESTION 4

The following SAS program is submitted:

```
data one;
```

```
do i = 1 to 10;
```



```
ptobs = ceil(ranuni(0) * totobs);
```

```
set temp point = ptobs
```

```
nobs = totobs;
```

```
output;
```

```
end;
```

```
stop;
```

```
run;
```

The SAS data set TEMP contains 2,500,000 observations. Which one of the following represents the possible values for PTOBS?

- A. any integer between 1 and 10
- B. any real number between 0 and 1
- C. any integer between 1 and 2,500,000
- D. any real number between 1 and 2,500,000

Correct Answer: C

QUESTION 5

The SAS data set ONE consists of five million observations and has 25 variables. Which one of the following SAS programs successfully creates three new variables TOTREV, TOTCOST, and PROFIT and requires the least CPU time to be processed?

- A. data two; set one; totrev = sum(price * quantity); totcost = sum(fixed,variable); profit = sum(totrev,otcost); if totrev > 1000; run;
- B. data two; set one; totrev = sum(price * quantity); if totrev > 1000; totcost = sum(fixed,variable); profit = sum(totrev,otcost); run;
- C. data two; set one; totrev = sum(price * quantity); where totrev > 1000; totcost = sum(fixed,variable); profit = sum(totrev,otcost); run;
- D. data two; set one; where totrev > 1000; totrev = sum(price * quantity); totcost = sum(fixed,variable); profit = sum(totrev,otcost); run;

Correct Answer: B

[Latest A00-202 Dumps](#)

[A00-202 PDF Dumps](#)

[A00-202 Study Guide](#)