



A00-202^{Q&As}

SAS advanced programming exam

Pass SASInstitute A00-202 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/a00-202.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SASInstitute
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which one of the following SAS SORT procedure options eliminates identical consecutive observations?

- A. NODUP
- B. UNIQUE
- C. DISTINCT
- D. NODUPKEY

Correct Answer: A

QUESTION 2

Given the following SAS data sets ONE and TWO:

ONE TWO NUM CHAR1 NUM CHAR2

1 A 2 X

2 B 3 Y

4 D 5 V

The following SAS program is submitted creating the output table THREE:

```
data three;
```

```
set one two;
```

```
run;
```

THREE

NUM CHAR1 CHAR2

1 A 2 B 4 D 2 X 3 Y 5 V

Which one of the following SQL programs creates an equivalent SAS data set THREE?

- A. proc sql; create table three as select * from one outer union corr select * from two; quit;
- B. proc sql; create table three as select * from one outer union select * from two; quit;
- C. proc sql;C.proc sql; create table three as select * from one union select * from two; quit;
- D. proc sql;D.proc sql; create table three as select * from one union corr select * from two; quit;

Correct Answer: A



QUESTION 3

The following SAS FORMAT procedure is submitted:

```
proc format lib = sasuser;
```

```
value tempc low
```

```
0
```

```
5
```

```
10
```

```
15 high = '\\HOT\\';
```

```
run;
```

How is the value 10 displayed when the format TEMPC is applied?

- A. 10
- B. MILD
- C. WARM
- D. BELOW FREEZING

Correct Answer: C

QUESTION 4

Given the following SAS data set ONE:

ONE

CATEGORY AGE SALARY BONUS

----- M 28 200 20

M 25 100 10

M 28 300 10

M 33 300 30

F 18 100 50

F 25 200 10

F 35 400 50



The following SQL program is submitted:

```
proc sql;  
create table two as  
select distinct age  
from one  
where age  
quit;
```

How many rows are written to the SAS data set TWO?

- A. 3
- B. 4
- C. 5
- D. 6

Correct Answer: A

QUESTION 5

The SAS data set TEMP has the following distribution of values for variable A:

A Frequency 1 500,000 2 500,000 6 7,000,000 8 3,000

Which one of the following SAS programs requires the least CPU time to be processed?

- A. data new; set temp; if a = 8 then b = 'Small'; else if a in (1, 2) then b = 'Medium'; else if a = 6 then b = 'Large'; run;
- B. data new; set temp; if a in (1, 2) then b = 'Medium'; else if a = 8 then b = 'Small'; else if a = 6 then b = 'Large'; run;
- C. data new; set temp; if a = 6 then b = 'Large'; else if a in (1, 2) then b = 'Medium'; else if a = 8 then b = 'Small'; run;
- D. data new; D.data new; set temp; if a = 6 then b = 'Large'; if a in (1, 2) then b = 'Medium'; if a = 8 then b = 'Small'; run;

Correct Answer: C