



A00-202^{Q&As}

SAS advanced programming exam

Pass SASInstitute A00-202 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/a00-202.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SASInstitute
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

The following SAS program is submitted:

```
%let var = chicago, 1;  
  
data a;  
  
var = \"new york, 2\";  
  
newvar = %scan(andvar,2,%str());  
  
run;
```

Which one of the following explains why the program fails to execute?

- A. The %STR() is invalid syntax.
- B. The %SCAN function does not exist.
- C. The %SCAN function has too many arguments.
- D. The macro variable VAR does not get created properly.

Correct Answer: C

QUESTION 2

Which one of the following SAS SORT procedure options eliminates identical consecutive observations?

- A. NODUP
- B. UNIQUE
- C. DISTINCT
- D. NODUPKEY

Correct Answer: A

QUESTION 3

Which of the following statement(s) in the DATASETS procedure alters the name of a SAS data set stored in a SAS data library?

- A. RENAME statement only
- B. CHANGE statement only



C. MODIFY and RENAME statements

D. MODIFY and CHANGE statements

Correct Answer: B

QUESTION 4

Given the following SAS statement: %let idcode = Prod567;

Which one of the following statements stores the value 567 in the macro variable CODENUM?

A. %let codenum = substr(andidcode,length(andidcode)-2);

B. %let codenum = substr(andidcode,length(andidcode)-3);

C. %let codenum = %substr(andidcode,%length(andidcode)-2);

D. %let codenum = %substr(andidcode,%length(andidcode)-3);

Correct Answer: C

QUESTION 5

When is it appropriate to create indexes on a SAS data set for efficient processing?

A. if small subsets of data are often retrieved

B. if the key variable has very few unique values

C. if the data are often used for BY group processing

D. if the SAS data set file page count is less than three pages

Correct Answer: A

[Latest A00-202 Dumps](#)

[A00-202 Exam Questions](#)

[A00-202 Braindumps](#)