



# A00-212<sup>Q&As</sup>

SAS Advanced Programming Exam for SAS 9

## Pass SASInstitute A00-212 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/a00-212.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by SASInstitute  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

The following SAS program is submitted:

```
data temp;  
length 1 b 3 x;  
infile '\\file reference\\';  
input a b x;  
run;
```

What is the result?

- A. The data set TEMP is not created because variables A and B have invalid lengths
- B. The data set TEMP is created, but variable X is not created
- C. The data set TEMP is not created because variable A has an invalid length
- D. The data set TEMP is created and variable X has a length of 8

Correct Answer: C

---

### QUESTION 2

This question will ask you to provide a segment of missing code. The following SAS program submitted:

```
proc sql;  
  select a.name, a.sal, a.dept, b.maxsal  
  from EMP a,  
           <Insert code here>  
  where a.dept = b.dept  
        and a.sal = b.maxsal;  
quit;
```

Which segment of code will successfully run an in-line view?



```

C A)      ( create dept, max(sal) as maxsal
           from EMP
           group by dept ) b

C B)      create ( dept, max(sal) as maxsal
           from EMP
           group by dept ) b

C C)      ( select dept, max(sal) as maxsal
           from EMP
           group by dept ) b

C D)      select ( dept, max(sal) as maxsal
           from EMP
           group by dept ) b

```

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: D

**QUESTION 3**

This question will ask you to provide a missing reference. Given the SAS data set SASUSER HIGHWAY:

Steering	Seatbelt	Speed	Status	Count
absent	No	0-29	serious	31
absent	No	0-29	not	1419
absent	No	30-49	serious	191
absent	no	30-49	not	2004
absent	no	50+	serious	216

The following SAS program is submitted: What macro variable reference completes the program to create the WORK.NOT and WORK SERIOUS data sets?



```
%macro SPLIT;
  proc sort
    data=SASUSER.HIGHWAY
    out=WORK.UNIQUES (keep=Status)
    nodupkey;
    by Status;
  run;

  data _null_;
    set uniques end=Lastobs;
    call symputx('Status' || left(_n_), Status);
    if Lastobs then call symputx('Count', _n_);
  run;

  %local i;
  data
    %do i=1 %to &count;
      < insert reference >
    %end;
  set SASUSER.HIGHWAY;
  select (Status);
    %do i=1 %to &Count;
      when("< insert reference >") output < insert reference >;
    %end;
  otherwise;
  end;
run;
%mend;

%SPLIT
```

- A. and Status and Count
- B. and and Status and i
- C. and and Status and Count
- D. and Status and i

Correct Answer: B

#### QUESTION 4

Given a SAS data set with the following characteristics:

200 million observations 300 variables Compressed Resides on a network location

A SAS DATA Step program is written that will retrieve 20% of the data using a search based on a range of a character variable.

Which type of statement is the best choice to minimize computer resource utilization when subsetting this data?

- A. KEEP/DROP
- B. WHERE
- C. CASE
- D. IF/THEN/ELSE

Correct Answer: A



### QUESTION 5

The SAS data set WORK.TEMP is indexed on variable Id:

Id	Amount
P	52
P	45
A	13
A	56
R	34
R	12
R	78

The following SAS program is submitted:

```
proc print data=WORK.TEMP;  
  by Id ;  
run;
```

This step:

- A. Stops because the data is not descending order
- B. Generates a report without a problem
- C. Stops because the data is not in ascending order
- D. Generates a report, but only if the index = USE option is turned on

Correct Answer: A

[A00-212 VCE Dumps](#)

[A00-212 Practice Test](#)

[A00-212 Study Guide](#)