



A00-212^{Q&As}

SAS Advanced Programming Exam for SAS 9

Pass SASInstitute A00-212 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/a00-212.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SASInstitute
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

This item will ask you to provide a segment of missing code.

Given the input data set shown on the left and the output data set shown on the right:

VEHICLES				INVENTORY		
Year	Make	Model	Color	Year	Make	Model
2001	Ford	Escape	Blue	2001	Ford	Escape
2001	Ford	Escape	Red	2001	Hyundai	Elantra
2001	Hyundai	Elantra	Black	2001	Hyundai	Sonata
2001	Hyundai	Sonata	White	2002	Ford	Fusion
2002	Ford	Fusion	Black	2002	Hyundai	Sonata
2002	Hyundai	Sonata	Gold			
2002	Hyundai	Sonata	Silver			

In the text below, enter the code that will complete the program to produce the output set shown above on the right.

```
data INVENTORY(drop=color) ;  
  set VEHICLES ;  
  by Year Make Model ;  
  if || = 1 then output INVENTORY ;  
run ;
```

In the text below, enter the code that will complete the program to produce the output set shown above on the right.

Case is ignored and standard SAS syntax rules apply.

Correct Answer: N

QUESTION 2

The following SAS program is submitted:

```
data new(bufsize = 6144 bufno = 4);
```

```
set old;
```

```
run;
```

What is the difference between the usage of BUFSIZE= and BUFNO= options?

- A. BUFSIZE=specifies the size of the output buffer in kilobytes; BUFNO=specifies the number of output buffers
- B. BUFSIZE= specifies the size of the input buffer in bytes; BUFSIZE= specifies the number of input buffers
- C. BUFSIZE= specifies the size of the input buffer in kilobytes; BUFNO=specifies the number of input buffers
- D. BUFSIZE= specifies the size of the output buffer in bytes; BUFNO= specifies the number of output buffers

Correct Answer: D



QUESTION 3

The following SAS program is submitted:

```
%let name = Patel\'s Restaurant;
```

Which one of the following statements avoids problems associated with the unbalanced quotation mark?

- A. %let name = Patel%'s Restaurant;
- B. %let name = %str(Patel\'s Restaurant);
- C. %let name = Patel%str(\')s Restaurant;
- D. %let name = %str(Patel%'s Restaurant);

Correct Answer: D

QUESTION 4

The SAS data set WORK.TEMP is indexed on variable Id:

Id	Amount
P	52
P	45
A	13
A	56
R	34
R	12
R	78

The following SAS program is submitted:

```
proc print data=WORK.TEMP;  
  by Id ;  
run;  
  
This step:
```

- A. Stops because the data is not descending order
- B. Generates a report without a problem
- C. Stops because the data is not in ascending order
- D. Generates a report, but only if the index = USE option is turned on

Correct Answer: A



QUESTION 5

Which DICTIONARY table provides information on all the tables containing a variable named LASTNAME?

- A. DICTIONARY.COLUMNS
- B. DICTIONARY.VARIABLES
- C. DICTIONARY.MEMBERS
- D. DICTIONARY.TABLES

Correct Answer: A

[Latest A00-212 Dumps](#)

[A00-212 Practice Test](#)

[A00-212 Exam Questions](#)