



A00-270^{Q&As}

SAS BI Content Development

Pass SASInstitute A00-270 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/a00-270.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SASInstitute Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

When a SAS Web Report Studio report is built, the default behavior is to produce an aggregated report with measures summed. Average is a more appropriate aggregation for an age data item. In the information map, how can the aggregation be changed to average the measures?

- A. Change the default aggregation function to MEAN on the Properties of the data item.
- B. After the default aggregation is set, it cannot be changed in the information map.
- C. Change the measure's classification to MEAN.
- D. Change the format of the data item to AVERAGEw.d.

Correct Answer: A

QUESTION 2

What is the significance of the %STPBEGIN statement? (Choose two.)

- A. Initializes the ODS system
- B. Initiates the prompting for parameters
- C. Processes the user written SAS code
- D. Generates the reserve macro variables

Correct Answer: AD

QUESTION 3

Which combination of data sources is valid in an information map?

- A. One table and one cube
- B. One cube and one stored process
- C. One cube combined with a second cube
- D. One table and one stored process

Correct Answer: A

QUESTION 4

Which SAS code statement is defined by the Library metadata object?

- A. The LIBNAME statement



- B. The FILENAME statement
- C. The PROC METALIB statement
- D. The OPTIONS statement

Correct Answer: A

QUESTION 5

Which structure is not permitted in a SAS OLAP Cube design?

- A. A dimension with one hierarchy
- B. A dimension with two or more hierarchies that share the same level
- C. Two or more dimensions that have unique counts
- D. Two or more dimensions that are a TIME type dimensions

Correct Answer: B

[A00-270 VCE Dumps](#)

[A00-270 Exam Questions](#)

[A00-270 Braindumps](#)