



A00-280^{Q&As}

SAS Certified Clinical Trials Programmer Using SAS 9

Pass SASInstitute A00-280 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/a00-280.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SASInstitute Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What information can be found in the SAS Dictionary tables? (Choose two.)

- A. datasets contained within a specified library
- B. values contained within a specified format
- C. variables contained within a specified dataset
- D. values contained within a specified variable

Correct Answer: AC

QUESTION 2

Given the following log entry:

```
47      data hrates ;  
48          merge dm hr ;  
49          by subjid ;  
50      run ;
```

```
INFO: The variable sexcd on data set WORK.DM will be overwritten by data set WORK.HR.  
NOTE: There were 4 observations read from the data set WORK.DM.  
NOTE: There were 4 observations read from the data set WORK.HR.  
NOTE: The data set WORK.HRATES has 4 observations and 4 variables.  
NOTE: DATA statement used (Total process time):  
      real time           0.06 seconds  
      cpu time            0.01 seconds
```

Which SAS system option adds the blue highlighted lines to the log?

- A. INFO
- B. MSGLEVEL=I
- C. INVALIDDATA=\\'\'
- D. NOTES

Correct Answer: B

QUESTION 3

A SAS program is submitted and the following log is written.



```
893 data WORK.CHECKVISITS;
894   set WORK.VISITS(keep=PATID VISD1 VISD2 VISD3 VISD4);
895   array VISDT(1:4);
896   do i=1 to 4;
897     if VISDT(i) ?VISDT(i-1) gt 10 then output;
898   end;
899 run;
```

ERROR: Array subscript out of range at line 897 column 21.

What is the cause of this error message?

- A. The ARRAY declaration is syntactically incorrect.
- B. The IF statement is syntactically incorrect.
- C. The DO loop tries to get a value from a variable which does not exist.
- D. The IF statement tries to get ARRAY elements which are not declared.

Correct Answer: D

QUESTION 4

Given the following data set DEMOG:

SITE	PATID	DOB	SEXCD	RACECD	TRTMT
1	1	11/25/1946	2	1	1
1	2	11/01/1972	1	1	2
1	3	10/13/1969	2	1	1
1	4	05/18/1958	2	1	2
1	10	05/24/1999	2	1	1
2	1	03/15/1974	1	2	1
2	2	01/04/1983	2	1	2
2	3	12/22/1963	1	1	1
2	4	12/28/1976	1	9	2
2	5	10/04/1958	1	1	1
2	10	07/05/1969	1	2	2

Which selection below would be considered hard-coding?

- A. if sexcd eq 1 then sex = "Male" ; else if sexcd eq 2 then sex = "Female" ;
- B. if site eq 1 then sexcd = 2 ; else if site eq 2 then sexcd = 1 ;
- C. if site eq 1 and sexcd ne 2 then check = 1 ; else if site eq 2 and sexcd ne 1 then check = 2 ;
- D. birthdt = input(dob, mmddyy10.);

Correct Answer: B

QUESTION 5



Identify the CDISC model with the following characteristics:

?XML-based content and format standard

?facilitates the archive and interchange of the metadata and data for clinical research

?provides an accurate audit trail that is 21 CFR Part II compliant

- A. Analysis Data Model (ADaM)
- B. Operational Data Model (ODM)
- C. Study Data Tabulation Model (SDTM)
- D. Trial Design Model (TDM)

Correct Answer: B

[A00-280 VCE Dumps](#)

[A00-280 Practice Test](#)

[A00-280 Exam Questions](#)