



# A01-250<sup>Q&As</sup>

SAS Platform Administration

## Pass SASInstitute A01-250 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/a01-250.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by SASInstitute  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





#### QUESTION 1

A user needs to modify metadata. Which method should be used?

- A. Use the appropriate SAS application to make the modification.
- B. Open the SAS data sets where the metadata is stored and make the modification.
- C. Move the files to a project repository and open the SAS data sets in the physical folder to make the modification.
- D. Use SAS Management Console's Metadata Manager plug-in to make the modification.

Correct Answer: A

---

#### QUESTION 2

Which permissions are found on all metadata item types?

- A. RM WM RMM RW Administer
- B. RM WM RW Administer
- C. RM WM Administer
- D. RM WM

Correct Answer: D

---

#### QUESTION 3

A customer's environment has a standard workspace server instantiated by the object spawner. What authentication is required to support this configuration?

- A. back-end authentication
- B. integrated authentication
- C. host authentication
- D. internal authentication

Correct Answer: C

---

#### QUESTION 4

Given the following authorization setup:

-Mary is a direct member of DeptA.



-DeptA is a direct member of DeptB.

-

Library Sales2 has an explicit denial for DeptA.

-

Library Sales2 has an explicit grant for DeptB.

Which statement is true?

- A. Mary can see Library Sales2.
- B. Mary cannot see Library Sales2.
- C. Mary can see Library Sales2 for data associated with DeptB only.
- D. Mary can see Library Sales2 for data flagged as PUBLIC only.

Correct Answer: B

---

#### QUESTION 5

A platform administrator used operating system commands to backup the metadata repositories and repository manager in a SAS environment. When the platform administrator attempted to restore the SAS environment, the backup files were unusable. What is the most likely cause of the backup files being unusable?

- A. The metadata server was stopped when the backup was taken.
- B. The metadata server was Online when the backup was taken.
- C. The metadata server was only paused to an Offline state when the backup was taken.
- D. The metadata server configuration file omaconfig.xml is not included in a backup initiated by operating system commands.

Correct Answer: B

[A01-250 PDF Dumps](#)

[A01-250 Study Guide](#)

[A01-250 Braindumps](#)