



A2090-303^{Q&As}

Assessment: IBM InfoSphere DataStage v9.1 Assessment

Pass IBM A2090-303 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/a2090-303.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which statement is true about Information Server logging?

- A. Multiple configurations can be active at the same time.
- B. Severity levels specify the threshold for saving events in the metadata repository.
- C. You can activate or de-activate the logging configuration in DataStage Administrator.
- D. You must log into the Information Server Web Console as a DataStage administrator in order to configure logging.

Correct Answer: B

QUESTION 2

Identify two different types of custom stages you can create to extend the Parallel job syntax? (Choose two.)

- A. Input stage
- B. Basic stage
- C. Group stage
- D. Custom stage
- E. Wrapped stage

Correct Answer: DE

QUESTION 3

You have finished changes to many jobs and shared containers. You must export all of your changes and integrate them into a test project with other objects. What is a way to select the objects you changed for the export?

- A. Sort the jobs by timestamp.
- B. Open Quick Find and select "Types to Find".
- C. Use Multiple Job Compile to locate objects that need to be compiled.
- D. Using the advanced find dialog, specify in the last modified panel, the date range of the jobs, and appropriate user name.

Correct Answer: D

QUESTION 4



Which two statements about the Additional Connections Options property in the Teradata Connector stage to specify details about the number of connections to Teradata are true? (Choose two.)

- A. The default for requestedsessions is the minimum number of available sessions.
- B. The default for requestedsessions is the maximum number of available sessions.
- C. Requestedsessions is a number between 1 and the number of vprocs in the operating system.
- D. Sessionsperplayer determines the number of connections each player in the job has to Teradata.
- E. Total requested sessions equals sessions per player multiplied by number of nodes multiplied by players per node. The default value is 4.

Correct Answer: BD

QUESTION 5

A job using a three-node configuration file writes to a target Sequential File stage. The target Sequential File stage has been set to write to two different sequential files. How many instances of the Sequential File stage will run?

- A. One instance.
- B. Two instances.
- C. Three instances.
- D. Four instances.

Correct Answer: B

[Latest A2090-303 Dumps](#)

[A2090-303 VCE Dumps](#)

[A2090-303 Braindumps](#)