



# A2090-544<sup>Q&As</sup>

Assessment: DB2 9.7 Advanced DBA for LUW - Assessment

## Pass IBM A2090-544 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/a2090-544.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Given the following table definition in a multi-partitioned database: Which column(s) will be chosen by DB2 as a distribution key (partitioning key)?

```
CREATE TABLE part
  (name CHAR (30) NOT NULL,
   emp_id INT NOT NULL,
   address VARCHAR (1024),
   ss_id INT NOT NULL,
   PRIMARY KEY (ss_id, emp_id, name) )
```

- A. SS\_ID
- B. EMP\_ID
- C. NAME
- D. SS\_ID, EMP\_ID, and NAME

Correct Answer: A

---

### QUESTION 2

The RECOVER command is used in an attempt to fix a damaged table space. What will the system do during the RECOVER process?

- A. Create a new temporary table space if the damaged table space is a temporary table space.
- B. Restore the database and attempt to make as much of the database available as possible.
- C. Restore the database and bypass inaccessible containers and make the rest of the table space available.
- D. Prompt the user for new container definitions for damaged or missing containers.

Correct Answer: B

---

### QUESTION 3

Which of the following techniques will ensure that you CANNOT encounter two active primary servers in an HADR pair?

- A. Set ALTERNATER SERVER to fixed IP Addresses on both servers.
- B. Use a virtual IP Address for both servers.
- C. Use a virtual IP Address in the CATALOG DATABASE command.
- D. Catalog both servers separately and use a fixed IP address for both servers.



Correct Answer: C

---

#### QUESTION 4

If instance DB2INST1 is created and its authentication type is set to KRB\_SERVER\_ENCRYPT, which statement is true?

- A. Databases created in DB2INST1 will use SERVER\_ENCRYPT authentication if KERBEROS authentication is not available.
- B. Databases created in DB2INST1 will use KERBEROS authentication if SERVER\_ENCRYPT authentication is not available.
- C. Client connections to databases on DB2INST1 will fail unless they are attempted through an LDAP connection.
- D. Client connections from Windows machines to databases on DB2INST1 will flow clear text passwords.

Correct Answer: A

---

#### QUESTION 5

If the shared sort heap threshold parameter SHEAPTHRES\_SHR is set to AUTOMATIC, what will happen?

- A. All sorts will be done in a temporary table space.
- B. The shared sort memory allocation will be controlled by DB2.
- C. No shared memory is allocated for sorting.
- D. All sorts will be done in shared memory.

Correct Answer: B

[A2090-544 PDF Dumps](#)

[A2090-544 VCE Dumps](#)

[A2090-544 Exam Questions](#)