



# A2090-544<sup>Q&As</sup>

Assessment: DB2 9.7 Advanced DBA for LUW - Assessment

## Pass IBM A2090-544 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/a2090-544.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





#### QUESTION 1

If instance DB2INST1 is created and its authentication type is set to KRB\_SERVER\_ENCRYPT, which statement is true?

- A. Databases created in DB2INST1 will use SERVER\_ENCRYPT authentication if KERBEROS authentication is not available.
- B. Databases created in DB2INST1 will use KERBEROS authentication if SERVER\_ENCRYPT authentication is not available.
- C. Client connections to databases on DB2INST1 will fail unless they are attempted through an LDAP connection.
- D. Client connections from Windows machines to databases on DB2INST1 will flow clear text passwords.

Correct Answer: A

---

#### QUESTION 2

Which factor should influence your selection of distribution key(s)?

- A. The distribution key(s) should include the most frequently accessed XML column(s).
- B. The distribution key(s) should include the longest column(s).
- C. The distribution key(s) should include column(s) with the smallest number of distinct values.
- D. The distribution key(s) should include the most frequently joined column(s).

Correct Answer: D

---

#### QUESTION 3

Which method should be used to construct an LBAC security component that represents a person's level of trust?

- A. SET
- B. TREE
- C. ARRAY
- D. ORDER

Correct Answer: C

---

#### QUESTION 4

Which statement is correct about statistical views?



- A. A statistical view is created by executing runstats on a regular view.
- B. A statistical view holds information about the system catalog statistical tables.
- C. A statistical view provides the optimizer with additional correlation statistics.
- D. A statistical view provides the optimizer with more accurate cardinality estimates.

Correct Answer: D

### QUESTION 5

Given the following output from the GET DATABASE CONFIGURATION command:

Log buffer size (4KB)	(LOGBUFSZ)	= 128
Log file size (4KB)	(LOGFILSIZ)	= 8000
Number of primary log files	(LOGPRIMARY)	= 30
Number of secondary log files	(LOGSECOND)	= 60
Percent max primary log space by transaction	(MAX_LOG)	= 0
Num. of active log files for 1 active UOW	(NUM_LOG_SPAN)	= 0
Log retain for recovery enabled	(LOGRETAIN)	= RECOVERY
User exit for logging enabled	(USEREXIT)	= OFF
HADR log write synchronization mode	(HADR_SYNCMODE)	= NEARSYNC
First log archive method	(LOGARCHMETH1)	= LOGRETAIN
Second log archive method	(LOGARCHMETH2)	= DISK:/mmt/arclogs

Which of the following DB configurations listed below will enable circular logging?

- A. LOGRETAIN=CIRCULAR
- B. LOGSECOND=-1
- C. LOGARCHMETH1=OFF and LOGARCHMETH2=OFF
- D. LOGPRIMARY=LOGCIRCULAR and LOGRETAIN=OFF

Correct Answer: C

[A2090-544 Practice Test](#)

[A2090-544 Study Guide](#)

[A2090-544 Braindumps](#)