



A2150-195^{Q&As}

Assess: IBM Security QRadar V7.0 MR4 Fundamentals

Pass IBM A2150-195 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/a2150-195.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

What is an Offense Type?

- A. The offense response
- B. A scoring priority of Set by Event
- C. The destination of the e-mail notification sent
- D. The index option chosen in the rule that created the offense

Correct Answer: D

QUESTION 2

If a user wants to search for Windows user login failures, which high/low level category should be used?

- A. Windows/Failures
- B. Authentication/Failures
- C. Windows/User Login Failures
- D. Authentication/User Login Failure

Correct Answer: D

QUESTION 3

Which flow source is most often sampled?

- A. vFlow
- B. sFlow
- C. QFlow
- D. netflow

Correct Answer: B

QUESTION 4

A user is complaining about slow traffic on a specific network segment, and an administrator has been asked to investigate the source of the congestion using an IBM Security QRadar V7.0 MR4 (QRadar) Dashboard workspace named Top Applications.

From the Top Applications dashboard workspace, which tab is displayed when View Details is clicked?



- A. Assets
- B. Offenses
- C. Log Activity
- D. Network Activity

Correct Answer: D

QUESTION 5

IBM Security QRadar V7.0 MR4 (QRadar) events that match a particular QRadar event rule are given a magnitude. This magnitude is a combination of which three factors?

- A. Severity, Relevance, Weight
- B. Severity, Frequency, Weight
- C. Severity, Quantity, Credibility
- D. Severity, Relevance, Credibility

Correct Answer: D

[A2150-195 PDF Dumps](#)

[A2150-195 Practice Test](#)

[A2150-195 Study Guide](#)