



# A4040-221<sup>Q&As</sup>

Assessment: AIX 7 Administration





## Pass IBM A4040-221 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/a4040-221.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Users on a server are receiving errors stating that they cannot fork any additional processes. The administrator checks server paging space and finds that it is only 5% used. What is the next most likely cause of the forking issue and what action should be taken to resolve it?

- A. Corruption has occurred to the bos.rte.control fileset. Reinstall the fileset with the -f option.
- B. The number of fixed licenses has been reached. Use `\\'chlicense\\'` to increase the limit and reboot the system.
- C. System requires additional table space as well as paging space. Check the table space and increase as required.
- D. The system has the default maxuproc system attribute. This should be increased to a value appropriate for the environment.

Correct Answer: D

---

### QUESTION 2

Which command, when issued from the HMC command line, will attempt to launch a virtual terminal session on lpar1, running on the sys1 managed system?

- A. `mkvterm-msys1 -p lpar1`
- B. `crvterm-ssysy -r lpar1`
- C. `startvt-h sys1 -l lpar1`
- D. `startx-vt sys1 -p lpar1`

Correct Answer: A

---

### QUESTION 3

An administrator needs to determine if system microcode is at the most current level. Which tool will identify current microcode levels, and provide an output file which can be used by the IBM Microcode Discovery Service (MDS) for comparison?

- A. FLRT
- B. invscout
- C. lsmcode
- D. prtconf
- E. urncode\_latest

Correct Answer: B

---



#### QUESTION 4

Which command displays path and state information for a Multipath I/O (MPIO) capable device?

- A. lspath
- B. lsvpcfg
- C. lsdev
- D. lspv

Correct Answer: A

---

#### QUESTION 5

How can administrators ensure that the Integrated Virtual Ethernet (IVE) adapters in their servers have the latest available firmware?

- A. By upgrading the given IBM Power Systems server to the latest available system firmware.
- B. By using inventory scout to query the installed firmware level against the available level.
- C. By using either the managing HMC, SDMC or IVM to query and update the adapter firmware.
- D. By using the lsmcode AIX command with the query flag.

Correct Answer: A

[A4040-221 Study Guide](#)

[A4040-221 Exam Questions](#)

[A4040-221 Braindumps](#)