BCCPP^{Q&As}

Blue Coat Certified Proxy Professional

Pass Blue Coat BCCPP Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/bccpp.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Blue Coat Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

365 Days Free Update

800,000+ Satisfied Customers

QUESTION 1

If a user agent that does not support authentication tries to request content through a connection on which the ProxySG requires authentication, how can you best resolve the issue?

A. Identify the TCP ports used by the user agent, and create a proxy service to bypass such traffic.

B. Identify an HTTP header that identifies the user agent, and then write policy to exempt matching transactions from authentication.

C. Identify the IP address of the user agent, and then write policy to exempt matching transactions from authentication.

D. You cannot do this.

Correct Answer: B

QUESTION 2

In a transparent proxy that is intercepting HTTP, how can an administrator allow instant messaging over HTTP to pass through ProxySG if they do not have IM license on the ProxySG?

A. By disabling Detect Protocol

B. By disabling Protocol Handoff in IM

C. By configuring the proxy services to bypass AOL IM, MSN IM and Yahoo IM services

D. By disabling early intercept

Correct Answer: B

QUESTION 3

When the ProxySG processes a client request to a server that requires a client certificate, from where does the ProxySG obtain the certificate during transaction processing?

A. From the server.

B. From a certificate store on the ProxySG.

C. From the client.

Correct Answer: B

QUESTION 4

Which one of these regular expressions will match a URL that uses either HTTP or HTTPS?

A. ^https?

B. 2https?

C. [http][https]

D. http[s]

Correct Answer: A

QUESTION 5

Which header cannot be sent together with an HTTP 407 status code from the ProxySG?

A. Proxy-Authenticate: Basic="MyRealm"

B. Proxy-Authenticate: NTLM="MyRealm"

C. Proxy- Authenticate: Kerberos="MyRealm"

D. proxy-Authenticate: Negotiate="MyRealm"

E. All the above headers can be sent with 407 status code

Correct Answer: D

[BCCPP PDF Dumps](https://www.passapply.com/bccpp.html)   [BCCPP VCE Dumps](https://www.passapply.com/bccpp.html)   [BCCPP Exam Questions](https://www.passapply.com/bccpp.html)