



BCCPP^{Q&As}

Blue Coat Certified Proxy Professional

Pass Blue Coat BCCPP Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/bccpp.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Blue Coat
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

The ProxySG ICAP implementation is fully compatible with which of the following applications? (Choose all that apply)

(a)

Finjan SurfinGate

(b)

Webwasher

(c)

AntiVirus Scan Engine (SAVSE)

(d)

Trend Micro InterScan

A.

a and b only

B.

b and c only

C.

c and d only

D.

All of the above

Correct Answer: D

QUESTION 2

Which of the following are some of the general requirements for using Kerberos Authentication? (Choose all that apply)

(a)

SGOS 4.2x or higher

(b)

Internet Explorer 5

(c)



Transparent Proxy Deployment

(d)

Windows 2000 and above

A.

a, b and c only

B.

b, c and d only

C.

a, c and d only

D.

All of the above

Correct Answer: C

QUESTION 3

ProxySG can cache videos played by Adobe Flash based video player (e.g. on YouTube) as HTTP objects.

A. True

B. False

Correct Answer: A

QUESTION 4

How must you configure the RTMP proxy service to process Flash traffic originating at youtube.com?

A. Enable HTTP handoff on the Flash proxy on the ProxySG.

B. Enable Detect Protocol on the External HTTP proxy service.

C. Write policy in the VPM or CPL to direct traffic from youtube.com to the RTMP proxy service.

D. You cannot do this.

Correct Answer: A

QUESTION 5



Which of the following are true when attempting to deny access to file types?

- A. MIME type objects are matched against the Content-type request header; File Extension objects are matched against the GET response header; Apparent Data Type objects are matched against request data.
- B. MIME type objects are matched against the Content-type response header; File Extension objects are matched against the GET request header; Apparent Data Type objects are matched against response data.
- C. MIME type objects are matched against the Content-encoding response header; File Extension objects are matched against the GET request header; Apparent Data Type objects are matched against response data.
- D. MIME type objects are matched against the Content-type response header; File Extension objects are matched against the GET request header; Apparent Data Type objects are matched against request data.

Correct Answer: C

[BCCPP PDF Dumps](#)

[BCCPP Practice Test](#)

[BCCPP Study Guide](#)