



C2010-501^{Q&As}

IBM Maximo Asset Management V7.5 Infrastructure Implementation

Pass IBM C2010-501 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c2010-501.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What is the correct product install order for IBM Maximo Asset Management (Maximo)?

- A. latest Maximo fix pack, any industry solution, latest fix pack interim fix
- B. latest Maximo fix pack, any industry solution, interim fix for earlier fix pack
- C. latest Maximo fix pack interim fix, any industry solution, latest Maximo fix pack
- D. latest Maximo fix pack interim fix, latest Maximo fix pack, any industry solution

Correct Answer: A

QUESTION 2

How can the IBM Maximo Asset Management V7.5 (Maximo) database schema password be restricted from view?

- A. enable restrictions on the documentroot folder
- B. delete the maximo.properties file from the Maximo EAR
- C. run buildmaximoear.cmd from IBM\SMP\maximo\deployment
- D. run encyptproperties.bat from IBM\SMP\maximo\tools\maximo\

Correct Answer: D

QUESTION 3

An architecture for the deployment of IBM Maximo Asset Management is being created for a customer. The user acceptance testing (UAT) and production environments include: 2 user interface (UI) Java Virtual Machines (JVMs), 1 Maximo Integration Framework (MIF) JVM, and 1 cron JVM each. Why are there separate JVMs for the UAT environment?

- A. A UAT environment always provides an infrastructure supporting the same number of users as a production environment.
- B. A UAT environment with JVM segregation requires separated JVM functions in any environment other than development.
- C. The minimum number of JVMs that must be utilized in any customer UAT environment is: 2 UI JVMs, 1 MIF JVM, and 1 cron JVM.
- D. A UAT environment allows for the testing of configuration and concepts utilized in the production environment design in a similar way to how they are actually utilized in production.

Correct Answer: D



QUESTION 4

An IBM Maximo Asset Management V7.5 (Maximo) administrator has enabled Application Server Security with the standard BASIC login-config but is receiving user complaints about the Windows security pop-up box. A request has been made to set authentication back to the Maximo login screen. What would be required to enable FORM authentication?

- A.

```
<login-config>
  <auth-method>BASIC</auth-method>
  <realm-name>MAXIMO Web Application Realm</realm-name>
</login-config>

<!--
<login-config>
  <auth-method>FORM</auth-method>
  <realm-name>MAXIMO Web Application Realm</realm-name>
  <form-login-config>
    <form-login-page>/webclient/login/login.jsp?appservauth=true</form-login-page>
    <form-error-page>/webclient/login/loginerror.jsp</form-error-page>
  </form-login-config>
</login-config>
-->
```
- B.

```
<!--
<login-config>
  <auth-method>BASIC</auth-method>
  <realm-name>MAXIMO Web Application Realm</realm-name>
</login-config>
-->

<login-config>
  <auth-method>FORM</auth-method>
  <realm-name>MAXIMO Web Application Realm</realm-name>
  <form-login-config>
    <form-login-page>/webclient/login/login.jsp?appservauth=true</form-login-page>
    <form-error-page>/webclient/login/loginerror.jsp</form-error-page>
  </form-login-config>
</login-config>
```
- C.

```
<env-entry>
  <description>Indicates whether to use Application Server security or not</description>
  <env-entry-name>useAppServerSecurity</env-entry-name>
  <env-entry-type>java.lang.String</env-entry-type>
  <env-entry-value>>false</env-entry-value>
</env-entry>
```
- D.

```
<env-entry>
  <description>Indicates whether to use Application Server security or not</description>
  <env-entry-name>useAppServerSecurity</env-entry-name>
  <env-entry-type>java.lang.String</env-entry-type>
  <env-entry-value>>true</env-entry-value>
</env-entry>
```



- A. Option A
- B. Option B
- C. Option C D. Option D

Correct Answer: B

QUESTION 5

What is the correct format for the useAppServerSecurity parameter when enabling Application Server Security in the ibm\SMP\maximo\applications\maximo\maximouiweb\webmodule\WEB-INF\web.xml?

- A.

```
<env-entry>  
  <description>Indicates whether to use Application Server security or not</description>  
  <env-entry-name>useAppServerSecurity</env-entry-name>  
  <env-entry-type>java.lang.String</env-entry-type>  
  <env-entry-value>1</env-entry-value>  
</env-entry>
```
- B.

```
<env-entry>  
  <description>Indicates whether to use Application Server security or not</description>  
  <env-entry-name>useAppServerSecurity</env-entry-name>  
  <env-entry-type>java.lang.String</env-entry-type>  
  <env-entry-value>0</env-entry-value>  
</env-entry>
```
- C.

```
<env-entry>  
  <description>Indicates whether to use Application Server security or not</description>  
  <env-entry-name>useAppServerSecurity</env-entry-name>  
  <env-entry-type>java.lang.String</env-entry-type>  
  <env-entry-value>disable</env-entry-value>  
</env-entry>
```
- D.

```
<env-entry>  
  <description>Indicates whether to use Application Server security or not</description>  
  <env-entry-name>useAppServerSecurity</env-entry-name>  
  <env-entry-type>java.lang.String</env-entry-type>  
  <env-entry-value>enable</env-entry-value>  
</env-entry>
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Correct Answer: A



VCE & PDF

PassApply.com

<https://www.passapply.com/c2010-501.html>

2024 Latest passapply C2010-501 PDF and VCE dumps Download

[Latest C2010-501 Dumps](#)

[C2010-501 VCE Dumps](#)

[C2010-501 Study Guide](#)