



# C2040-403<sup>Q&As</sup>

IBM Forms 8.0 - Form Design and Development

**Pass IBM C2040-403 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c2040-403.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which of the following is the best practice to set a IBM Forms data element as read only?

- A.
- B. on
- C.
- D.

Correct Answer: A

---

### QUESTION 2

What is the difference between an xforms:model and an xforms:instance in an XFDL form?

- A. An xforms:model is required in an XFDL form; but an xforms:instance is not.
- B. An xforms:instance is required in an XFDL form; but an xforms:model is not.
- C. An xforms:model contains the instance data, binds, and submission information for the form.
- D. An xforms:instance contains the instance data, binds, and submission information for the form.

Correct Answer: C

---

### QUESTION 3

Mark is trying to position a FIELD\_B relatively below FIELD\_A. He is using the alignment tools but the option Relative Align Below is grayed out. What is the likely cause and how can Mark fix this?

- A. He has selected FIELD\_A first and, while holding the SHIFT key, selected FIELD\_B. He should select the fields in reverse order.
- B. FIELD\_A comes after FIELD\_B in the build order. Mark should use the outline view to change the build order of the 2 fields and then redo the relative alignment
- C. There is already an absolute positioning for FIELD\_B. Mark should remove this first before trying the relative alignment
- D. FIELD\_B currently is laid out above FIELD\_A on the design canvas. Mark should drag the FIELD\_B below FIELD\_A first.

Correct Answer: B

---

### QUESTION 4



Given the following data instance, which XForms bind returns the value of the attribute "tax" of the item with the highest tax?

```
<xml>
  <items>
    <item onsale="true">
      <name>Apple</name>
      <cost tax="0.12">6</cost>
    </item>
    <item onsale="false">
      <name>Pear</name>
      <cost tax="0">4.50</cost>
    </item>
    <item onsale="true">
      <name>Banana</name>
      <cost tax="0.75">14</cost>
    </item>
    <item onsale="true">
      <name>Orange</name>
      <cost tax="0.1">9.75</cost>
    </item>
  </items>
</xml>
```

- A. maximum(items/item/cost/@tax)
- B. max(items/item/cost/@tax)
- C. ceiling(items/item/cost/@tax)
- D. upper(items/item/cost/@tax)

Correct Answer: B

### QUESTION 5

Which of the following XForms items/events CANNOT be used to trigger an XForms action?

- A. Button item.
- B. A change in the XForms model.
- C. DOMActivate event.
- D. ButtonActivate event.

Correct Answer: D