



# C2040-408<sup>Q&As</sup>

IBM Notes and Domino 9.0 Social Edition Application Development  
Update

## Pass IBM C2040-408 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c2040-408.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official  
Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Which describes the hyperlink navigation functionality in the XPages source editor?

- A. It allows the user to list all the resources on the XPage in a popup window.
- B. It allows the user to preview the resource directly from within the source editor.
- C. It allows the user to view the properties of a resource from within the source editor.
- D. It allows the user to open the selected resource directly from within the source editor.

Correct Answer: D

---

### QUESTION 2

By default, which framework can be used to modify the User Interface of a Value Picker control?

- A. Dojo
- B. ExtJS
- C. JQuery
- D. SmartClient

Correct Answer: A

---

### QUESTION 3

Joshua is using the Dojo List Text Box control to display values of the department code for the internal forum XPages application. Joshua is planning to use these values: Research and Development (rd), Marketing (mkt), Engineering (eng), and Human Resources (hr). He needs to store the department code in the dept field but wants to display a readable label to the user. How can Joshua configure the Value Picker control to display the correct information in the Dojo List Text Box control and store the department code in the underlying field?

- A. Select the Value Picker control and set the labelSeparator property to "|". The Dojo List Text Box control will use the same value to display the correct label.
- B. Select the Value Picker control and set the displaySeparator property to "|". The Dojo List Text Box control will use the same value to display the correct label.
- C. Select the Value Picker control and set the labelSeparator property to "|". Next select the Dojo List Text Box control and set the displayLabel property to "true".
- D. Select the Value Picker control and set the displaySeparator property to "|". Next select the Dojo List Text Box control and set the displaySeparator property to "|".

Correct Answer: C

---

**QUESTION 4**

Alice is using the Application Layout control in a custom control. She wants to enable drop targets in the left column and middle column only. How would she accomplish this?

- A. Alice doesn't have to do anything. By default all columns are selected and leaving them blank will disable them.
- B. Alice should click on the Drop Target tab in the Application Layout control and select the left and middle columns to enable them.
- C. Alice should click on the Application Layout All Properties tab and set the leftColumn and middleColumn properties to "true".
- D. Alice should click on the Application Layout tab in the Properties view and select the left column and middle column under "Content area".

Correct Answer: D

---

**QUESTION 5**

When using the Pager Save State Control, which property is used to define which control the pager applies to?

- A. for
- B. target
- C. binding
- D. refreshId

Correct Answer: A

[C2040-408 Study Guide](#)

[C2040-408 Exam Questions](#)

[C2040-408 Braindumps](#)