



# C2040-410<sup>Q&As</sup>

IBM Notes and Domino 9.0 Social Edition Application Development B

## Pass IBM C2040-410 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c2040-410.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which control should Jane use to switch display to any one of several views in the Customers application?

- A.
- B.
- C.
- D.

Correct Answer: D

---

### QUESTION 2

What would this code snippet accomplish when added to an XPage application?

```
<?xml version="1.0" encoding="UTF-8"?>
<xp:view xmlns:xf="http://www.ibm.com/xsp/core">
  <xp:this.data>
    <xp:dominoDocument var="document1" formName="main"></xp:dominoDocument>
    <xp:dominoView var="view1" viewName="main"></xp:dominoView>
  </xp:this.data>
</xp:view>
```

- A. defines a view as a Domino View data source
- B. defines a form as a Domino Document data source
- C. defines two forms as Domino Document data sources
- D. defines a Domino Document and a Domino View data source

Correct Answer: D

---

### QUESTION 3

Michael has designed a mobile application with two mobile pages. For the first mobile page he set the pageName property to "page1" and for the second mobile page he set the pageName property to "page2". What server-side simple action can Michael add on the second page to navigate the mobile application user to the first page when touched?

- A. Open Page
- B. Open Mobile Page
- C. Move To Mobile Page
- D. Move To Application Page



Correct Answer: D

---

#### QUESTION 4

Steven is using Java to write an agent in his application and needs to get a handle to the database that the agent is running in. How can Steven accomplish this?

- A. Use the `getCurrentDatabase` method of the `Session` class.
- B. Use the `currentDatabase` property of the `Session` class.
- C. Use the `Session` class `getDatabase` method, and then make a call to the `getCurrentDatabase` method of the `Database` class.
- D. Use the `Session` class `getAgentContext` method, and then make a call to the `getCurrentDatabase` method of the `AgentContext` class.

Correct Answer: D

---

#### QUESTION 5

Which is a valid method of the XSP client-side object?

- A. `XSP.byId()`
- B. `XSP.alert()`
- C. `XSP.bindView()`
- D. `XSP.bondForm()`

Correct Answer: B

[Latest C2040-410 Dumps](#)

[C2040-410 Exam Questions](#)

[C2040-410 Braindumps](#)